

Publications about 3D radiative transfer in cloudy atmospheres

This list was created as part of the I3RC project.

To include additional references, please send a message to [Tamás Várnai](#).

2023 2022 2021 2020 2019 2018 2017 2016 2015 2014 2013 2012 2011 2010 2009
2008 2007 2006 2005 2004 2003 2002 2001 2000 1999 1998 1997 1996 1995 1994
1993 1992 1991 1990 1989 1988 1987 1986 1985 1984 1983 1982 1981 1979 1978
1977 1974 1973 1971 1968

2023

Loveridge, J., A. Levis, L. Di Girolamo, V. Holodovsky, L. Forster, A.B. Davis, and Y.Y. Schechner, 2023: Retrieving 3D distributions of atmospheric particles using Atmospheric Tomography with 3D Radiative Transfer – Part 1: Model description and Jacobian calculation, *Atmos. Meas. Tech.*, **16**, 1803-1847, doi: <https://doi.org/10.5194/amt-16-1803-2023>. [[Full paper](#)]

Mauceri, S., Massie, S., and Schmidt, S., 2023: Correcting 3D cloud effects in X_{CO2} retrievals from the Orbiting Carbon Observatory-2 (OCO-2), *Atmos. Meas. Tech.*, **16**, 1461-1476, <https://doi.org/10.5194/amt-16-1461-2023>. [[Full paper](#)]

2022

Doicu, A., Doicu, A., Efremenko, D.S., & Trautmann, T., 2022: Cloud tomographic retrieval algorithms. II: Adjoint method. *J. Quant. Spect. Rad. Transfer.* **285**, 108177, doi: 10.1016/j.jqsrt.2022.108177. [[Full paper](#)]

Emde, C., Yu, H., Kylling, A., van Roozendaal, M., Stebel, K., Veihelmann, B., and Mayer, B., 2022: Impact of 3D cloud structures on the atmospheric trace gas products from UV-Vis sounders – Part 1: Synthetic dataset for validation of trace gas retrieval algorithms, *Atmos. Meas. Tech.*, **15**, 1587-1608, doi: [10.5194/amt-15-1587-2022](https://doi.org/10.5194/amt-15-1587-2022). [[Full paper](#)]

Fu, D., L. Di Girolamo, R.M. Rauber, G.M. McFarquhar, S.N. Nesbitt, J. Loveridge, Y. Hong, B. van Diedenhoven, B. Cairns, M.D. Alexandrov, P. Lawson, S. Woods, S. Tanelli, O.O. Sy, S. Schmidt, C.A. Hostetler, and A.J. Scarino, 2022: An evaluation of liquid cloud droplet effective radius derived from MODIS, airborne remote sensing and in situ measurements from CAMP2Ex, *Atmos. Chem. Phys.*, **22**, 8259-8285, <https://doi.org/10.5194/acp-22-8259-2022>. [[Full paper](#)]

Meyer, D., Hogan, R. J., Dueben, P. D., & Mason, S. L., 2022: Machine learning emulation of 3D cloud radiative effects. *J. Adv. Modeling Earth Systems*, **14**, e2021MS002550. doi: 10.1029/2021MS002550. [[Full paper](#)]

Momoi, M., T. Nakajima, H. Irie, M. Okata, 2022: Efficient calculation of radiative intensity in three-dimensional atmospheres based on the Pn-IMS truncation method with a backward ray tracing system, *J. Quant. Spectr. Rad. Transfer*, **293**, doi: 10.1016/j.jqsrt.2022.108369. [[Full paper](#)]

Nataraja, V., Schmidt, S., Chen, H., Yamaguchi, T., Kazil, J., Feingold, G., Wolf, K. & Iwabuchi, H., 2022: Segmentation-based multi-pixel cloud optical thickness retrieval using a convolutional neural network. *Atmos. Meas. Tech.* **15**. 5181-5205. doi: 10.5194/amt-15-5181-2022. [[Full paper](#)]

Ren, T., Yang, P., Wei, J., Huang, X., & Sang, H., 2022: Performance of cloud 3D solvers in ice cloud shortwave radiation closure over the equatorial western Pacific Ocean. *J. Adv. Modeling Earth Systems*, **14**, e2021MS002754. doi: <https://doi.org/10.1029/2021MS002754>. [[Full paper](#)]

Tarasenkov, M.V., Engel, M.V., Zonov, M.N., Belov, V.V., 2022: Assessing the cloud adjacency effect on retrieval of the ground surface reflectance from MODIS satellite data for the Baikal region. *Atmosphere*, **13**, 2054. doi: <https://doi.org/10.3390/atmos13122054>. [[Full paper](#)]

Tzabari, M., V. Holodovsky, O. Shubi, E. Eytan, I. Koren and Y. Y. Schechner, 2022: Settings for spaceborne 3-D scattering tomography of liquid-phase clouds by the CloudCT mission, *IEEE Trans. Geosci. Remote Sens.*, **60**, 1-16, doi: 10.1109/TGRS.2022.3198525. [[Full paper](#)]

Veerman, M. A., van Stratum, B. J. H., & van Heerwaarden, C. C., 2022: A case study of cumulus convection over land in cloud-resolving simulations with a coupled ray tracer. *Geophys. Res. Lett.*, **49**, e2022GL100808. doi: <https://doi.org/10.1029/2022GL100808>. [[Full paper](#)]

Yang, C.K., J.C. Chiu, A. Marshak, G. Feingold, T. Várnai, G. Wen, T. Yamaguchi, P.J. van Leeuwen, 2022: Near-cloud aerosol retrieval using machine learning techniques, and implied direct radiative effects. *Geophys. Res. Lett.*, **49**, e2022GL098274, doi: 10.1029/2022GL098274. [[Full paper](#)]

2021

Črnivec, N. and B. Mayer, 2021: Towards an improved treatment of cloud-radiation interaction in weather and climate models: exploring the potential of the Tripleclouds method for various cloud types using libRadtran 2.0.4, *Geosci. Model Dev.*, **14**, 3663-3682, doi: 10.5194/gmd-14-3663-2021. [[Full paper](#)]

Doicu, A.; Efremenko, D.S.; Trautmann, T., 2021: A Proof-of-Concept Algorithm for the Retrieval of Total Column Amount of Trace Gases in a Multi-Dimensional Atmosphere. *Remote Sens.*, **13**, 270, doi: 10.3390/rs13020270. [[Full paper](#)]

Doicu, A., Doicu, A., Efremenko, D.S., & Trautmann, T., 2021: Cloud tomographic retrieval algorithms. I: Surrogate minimization method. *J. Quant. Spectr. Rad. Transfer*. 277, 107954, doi: 10.1016/j.jqsrt.2021.107954. [[Full paper](#)]

Forster, L., Davis, A. B., Diner, D. J., & Mayer, B., 2021: Toward cloud tomography from space using MISR and MODIS: Locating the "veiled core" in opaque convective clouds. *J. Atmos. Sci.*, **78**, 155– 166. doi: 10.1175/JAS-D-19-0262.1. [[Full paper](#)]

Kablukova, E. M., and S. M. Prigarin, 2021: Statistical simulation of radiation transfer in horizontally inhomogeneous stratus clouds *J. Phys.: Conf. Ser.*, **1715**, 012062. [[Full paper](#)]

Massie, S. T., Cronk, H., Merrelli, A., O'Dell, C., Schmidt, K. S., Chen, H., and Baker, D., 2021: Analysis of 3D cloud effects in OCO-2 XCO₂ retrievals, *Atmos. Meas. Tech.*, **14**, 1475, doi: 10.5194/amt-14-1475-2021, 2021. [[Full paper](#)]

Sans, M., M. El Hafi, V. Eymet, V. Forest, R. Fournier, N. Villefranque, 2021: Null-collision meshless Monte Carlo--A new reverse Monte Carlo algorithm designed for laser-source emission in absorbing/scattering inhomogeneous media, *J. Quant. Spect. Rad. Transfer*, **271**, 107725, doi: 10.1016/j.jqsrt.2021.107725. [[Full paper](#)]

Schwaerzel, M., Brunner, D., Jakub, F., Emde, C., Buchmann, B., Berne, A., and Kuhlmann, G., 2021: Impact of 3D radiative transfer on airborne NO₂ imaging remote sensing over cities with buildings, *Atmos. Meas. Tech.*, **14**, 6469–6482, doi: 10.5194/amt-14-6469-2021. [[Full paper](#)]

Singer, C. E., Lopez-Gomez, I., Zhang, X., and Schneider, T., 2021: Top-of-Atmosphere Albedo Bias from Neglecting Three-Dimensional Cloud Radiative Effects. *J. Atmos. Sci.*, **78**, 4053-4069, doi: 10.1175/JAS-D-21-0032.1. [[Full paper](#)]

Szczap, F., Alkasem, A., Mioche, G., Shcherbakov, V., Cornet, C., Delanoe, J., Gour, Y., Jourdan, O., Banson, S., and Bray, E., 2021: McRALI: a Monte Carlo high-spectral-resolution lidar and Doppler radar simulator for three-dimensional cloudy atmosphere remote sensing. *Atmos. Meas. Tech.*, **14**, 199-221, doi: 10.5194/amt-14-199-2021. [[Full paper](#)]

Villefranque, N., and R. J. Hogan, 2021: Evidence for the 3D radiative effects of boundary-layer clouds from observations of direct and diffuse surface solar fluxes. *Geophys. Res. Lett.*, **48**, e2021GL093369. doi: 10.1029/2021GL093369 [[Full paper](#)]

Villefranque, N., S. Blanco, F. Couvreur, R. Fournier, J. Gautrais, R. J. Hogan, F. Hourdin, V. Volodina, D. Williamson, 2021: Process-based climate model development harnessing machine learning: III. The representation of cumulus geometry and their 3D radiative effects. *J. Advances Modeling Earth Systems*, **13**, e2020MS002423. doi: 10.1029/2020MS002423. [[Full paper](#)]

Wang, Z., J. Zhang, H. Gao, 2021: Laser beam divergence on lidar multiple scattering polarization returns from water clouds. *J. Quant. Spectr. Rad. Transf.*, **107618**, doi: 10.1016/j.jqsrt.2021.107618. [[Full paper](#)]

2020

Albers, S., Saleeby, S. M., Kreidenweis, S., Bian, Q., Xian, P., Toth, Z., Ahmadov, R., James, E., and Miller, S. D., 2020: A fast visible-wavelength 3D radiative transfer model for numerical weather prediction visualization and forward modeling, *Atmos. Meas. Tech.*, **13**, 3235–3261, <https://doi.org/10.5194/amt-13-3235-2020>. [[Full paper](#)]

Barlakas, V.; Eriksson, P., 2020: Three Dimensional Radiative Effects in Passive Millimeter/Sub-Millimeter All-sky Observations. *Remote Sens.*, **12**, 531, doi: 10.3390/rs12030531 [[Full paper](#)]

Crnivec, N. and Mayer, B., 2020: The incorporation of the Tripleclouds concept into the delta-Eddington two-stream radiation scheme: solver characterization and its application to shallow cumulus clouds. *Atmos. Chem. Phys.*, **20**, 10733-10755, doi: 10.5194/acp-20-10733-2020. [[Full paper](#)]

Levis, A.; Schechner, Y.Y.; Davis, A.B.; Loveridge, J., 2020: Multi-View Polarimetric Scattering Cloud Tomography and Retrieval of Droplet Size. *Remote Sens.*, **12**, 2831, doi: 10.3390/rs12172831. [[Full paper](#)]

Gristey, J. J., G. Feingold, I. B. Glenn, K. S. Schmidt, and H. Chen, 2020: Surface solar irradiance in continental shallow cumulus fields: Observations and large-eddy simulation, *J. Atmos. Sci.*, **77**, 1065-1080, doi: 10.1175/JAS-D-19-0261.1. [[Full paper](#)]

Klinger, C., & Mayer, B., 2020: Neighboring column approximation—An improved 3d thermal radiative transfer approximation for non-rectangular grids. *J. Adv. Modeling Earth Systems*, **12**, e2019MS001843. doi: 10.1029/2019MS001843. [[Full paper](#)]

Rajapakshe, C. and Z. Zhang, 2020: Using polarimetric observations to detect and quantify the three-dimensional radiative transfer effects in passive satellite cloud property retrievals: Theoretical framework and feasibility study, *J. Quant. Spectrosc. Rad. Transf.*, **246**, 106920, doi: 10.1016/j.jqsrt.2020.106920. [[Full paper](#)]

Ruiz-Donoso, E., A. Ehrlich, M. Schafer, E. Jakel, V. Schemann, S. Crewell, M. Mech, B. S. Kulla, L.-L. Kliesch, R. Neuber, and M. Wendisch, 2020: Small-scale structure of thermodynamic phase in Arctic mixed-phase clouds observed by airborne remote sensing during a cold air outbreak and a warm air advection event, *Atmos. Chem. Phys.*, **20**, 5487: *Atmos. Chem. Phys.*, **20**, 5487, doi: 10.5194/acp-20-5487-2020. [[Full paper](#)]

Schwaerzel, M., Emde, C., Brunner, D., Morales, R., Wagner, T., Berne, A., Buchmann, B., and Kuhlmann, G., 2020: Three-dimensional radiative transfer effects on airborne and ground-based trace gas remote sensing, *Atmos. Meas. Tech.*, **13**, 4277–4293, doi: 10.5194/amt-13-4277-2020. [[Full paper](#)]

Veerman, M. A., X. Pedruzo-Bagazgoitia, F. Jakub, J. Vila-Guerau de Arellano, and C. C. Heerwaarden, 2020: Three-Dimensional Radiative Effects By Shallow Cumulus Clouds on Dynamic Heterogeneities Over a Vegetated Surface. *J. Adv. Model. Earth Sys.*, **12**, doi:10.1029/2019MS001990. [[Full paper](#)]

Wang, L., D. Zhang, C. Chen, F. Hu, and L. Zhang, 2020: Impact analysis of surface albedo heterogeneity on shortwave radiation using a 3D radiative transfer model *J. Atmos. Solar-Terrestrial Phys.*, **204**, 105287, doi: 10.1016/j.jastp.2020.105287. [[Full paper](#)]

2019

Crnivec, N. and B. Mayer, 2019: Quantifying the bias of radiative heating rates in numerical weather prediction models for shallow cumulus clouds, *Atmos. Chem. Phys.*, **19**, 8083-8100, doi: 10.5194/acp-19-8083-2019. [[Full paper](#)]

Doicu, A. and D. S. Efremenko, 2019: Linearizations of the Spherical Harmonic Discrete Ordinate Method (SHDOM), *Atmosphere*, **10**, 292, doi: 10.3390/atmos10060292. [[Full paper](#)]

Ewald, F., T. Zinner, T. Kolling, and B. Mayer, 2019: Remote sensing of cloud droplet radius profiles using solar reflectance from cloud sides - Part 1: Retrieval development and characterization, *Atmos. Meas. Tech.*, **12**, 1183-1206, doi: 10.5194/amt-12-1183-2019. [[Full paper](#)]

Fu, D., L. Di Girolamo, L., Liang, G. Zhao, G., 2019: Regional biases in MODIS marine liquid water cloud drop effective radius deduced through fusion with MISR, *J. Geophys. Res.*, **124**, 13182-13196, doi: 10.1029/2019JD031063. [[Full paper](#)]

Hogan, R.J., M.D. Fielding, H.W. Barker, N. Villefranque, and S.A. Schafer, 2019: Entrapment: An important mechanism to explain the shortwave 3D radiative effect of clouds. *J. Atmos. Sci.*, **76**, 2123-2141, doi: 10.1175/JAS-D-18-0366.1. [[Full paper](#)]

Klinger, C., G. Feingold, and T. Yamaguchi, 2019: Cloud droplet growth in shallow cumulus clouds considering 1-d and 3-d thermal radiative effects. *Atmos. Chem. Phys.*, **19**, 6295-6313, doi: 10.5194/acp-19-6295-2019. [[Full paper](#)]

Leinonen, J., A. Guillaume, and T. Yuan, 2019: Reconstruction of cloud vertical structure with a generative adversarial network. *Geophys. Res. Lett.*, **46**, 7035-7044, doi: 10.1029/2019GL082532. [[Full paper](#)]

Masuda, R., H. Iwabuchi, K. S. Schmidt, A. Damiani, R. Kudo, 2019: Retrieval of Cloud Optical Thickness from Sky-View Camera Images using a Deep Convolutional Neural Network based on Three-Dimensional Radiative Transfer. *Remote Sensing*, **11**, 1962, doi: 10.3390/rs11171962. [[Full paper](#)]

Villefranque, N., R. Fournier, F. Couvreur, S. Blanco, S. C. Cornet, V. Eymet, V. Forest, and J.-M. Tregan, 2019: A path-tracing Monte Carlo library for 3-D radiative transfer in highly resolved cloudy atmospheres. *J. Adv. Modeling Earth Systems*, **11**, doi: 10.1029/2018MS001602. [[Full paper](#)]

Wang, Z., S. Cui, Z. Zhang, J. Yang, H. Gao, F. Zhang, 2019: Theoretical extension of universal forward and backward Monte Carlo radiative transfer modeling for passive and active polarization observation simulations. *J. Quant. Spectrosc. Rad. Transf.*, **235**, 81-94, doi: 10.1016/j.jqsrt.2019.06.025. [[Full paper](#)]

2018

Bal, G., J. Chen, and A. B. Davis, 2018: Reconstruction of cloud geometry from high-resolution multi-angle images. *Inverse Problems & Imaging*, **12**, 261-280, doi: 10.3934/ipi.2018011. [[Abstract](#)]

Cornet, C., L.-C. Labonnote, F. Waquet, F. Szczap, L. Deaconu, F. Parol, C. Vanbauce, F. Thieuleux, and J. Riedi, 2018: Cloud heterogeneity on cloud and aerosol above cloud properties retrieved from simulated total and polarized reflectances. *Atmos. Meas. Tech.*, **11**, 3627-3643, doi: 10.5194/amt-11-3627-2018. [[Abstract](#)]

Emde, C., and B. Mayer, 2018: Errors induced by the neglect of polarization in radiance calculations for three-dimensional cloudy atmospheres. *J. Quant. Spectrosc. Rad. Transf.*, **218**, 151-160, doi: 10.1016/j.jqsrt.2018.07.001 [[Abstract](#)]

Emde, C., V. Barlakas, C. Cornet, F. Evans, Z. Wang, L. C.-Labonotte, A. Macke, B. Mayer, and M. Wendisch, 2018: IPRT polarized radiative transfer model intercomparison project--three-dimensional test cases (phase B). *J. Quant. Spectrosc. Rad. Transf.*, **209**, 19-44, doi: 10.1016/j.jqsrt.2018.01.024. [[Abstract](#)]

Faucher, T., S. Platnick, O. Sourdeval, C. Wang, K. Meyer, C. Cornet, and F. Szczap, 2018: Cirrus horizontal heterogeneity and 3-D radiative effects on cloud optical property retrievals from MODIS near to thermal infrared channels as a function of spatial resolution. *J. Geophys. Res.*, **123**, 11,141-11,153, doi: 10.1029/2018JD028726. [[Abstract](#)]

Faucher, T., S. Platnick, T. Várnai, K. Meyer, C. Cornet, and F. Szczap, 2018: Scale dependence of cirrus heterogeneity effects. Part II: MODIS NIR and SWIR channels. *Atmos. Chem. Phys.*, **18**, 12,105-12,121, doi: 10.5194/acp-18-12105-2018. [[Abstract](#)]

Jones, A.L. and L. Di Girolamo, 2018: Design and Verification of a New Monochromatic Thermal Emission Component for the I3RC Community Monte Carlo Model. *J. Atmos. Sci.*, **75**, 885-906, doi: 10.1175/JAS-D-17-0251.1 [[Abstract](#)]

Lee, B., L. Di Girolamo, G. Zhao, Y. Zhan, 2018: Three-Dimensional Cloud Volume Reconstruction from the Multi-angle Imaging SpectroRadiometer. *Remote Sens.*, **10**, 1858, doi: 10.3390/rs10111858 [[Abstract](#)]

Martin, W.G.K., and O. Hasekamp, 2018: A demonstration of adjoint methods for multi-dimensional remote sensing of the atmosphere and surface. *J. Quant. Spectr. Rad. Transfer*, **204**, 215-231, doi: 10.1016/j.jqsrt.2017.09.031 [[Abstract](#)]

Scheck, L., M. Weissmann, and B. Mayer, 2018: Efficient Methods to Account for Cloud-Top Inclination and Cloud Overlap in Synthetic Visible Satellite Images. *J. Atmos. Oceanic Technol.*, **35**, 665-685, doi: 10.1175/JTECH-D-17-0057.1 [[Abstract](#)]

Zhuravleva, T., and I. Nasrtdinov, 2018: Simulation of Bidirectional Reflectance in Broken Clouds: From Individual Realization to Averaging over an Ensemble of Cloud Fields. *Remote Sens.*, **10**, 1324, doi: 10.3390/rs10091342 [[Abstract](#)]

2017

Alexandrov, M.D., and A. Marshak, 2017: Cellular statistical models of broken cloud fields. Part III: Markovian properties. *J. Atmos. Sci.*, **74**, 2921-2935, doi: 10.1175/JAS-D-17-0075.1. [[Abstract](#)]

Alkasem, A., F. Szczap, C. Cornet, V. Shcherbakov, Y. Gour, O. Jourdan, L.-C. Labonnote, and G. Mioche, 2017: Effects of cirrus heterogeneity on lidar CALIOP/CALIPSO data. *J. Quant. Spectrosc. Rad. Transf.*, **202**, 38-49, doi: 10.1016/j.jqsrt.2017.07.005. [[Abstract](#)]

Faucher, T., S. Platnick, K. Meyer, C. Cornet, F. Szczap, and T. Várnai, 2017: Scale dependence of cirrus horizontal heterogeneity effects on TOA measurements - Part I: MODIS brightness temperatures in the thermal infrared. *Atmos. Chem. Phys.*, **17**, 8489-8508, doi: 10.5194/acp-17-8489-2017. [[Abstract](#)]

Faucher, T., A. B. Davis, C. Cornet, F. Szczap, S. Platnick, P. Dubuisson, and F. Thieuleux, 2017: A fast hybrid (3D/1D) model for thermal radiative transfer in cirrus via successive orders of scattering. *J. Geophys. Res.*, **122**, 344-366, doi: 10.1002/2016JD025607. [[Abstract](#)]

Iwabuchi, H., and R. Okamura, 2017: Multispectral Monte Carlo radiative transfer simulation by the maximum cross-section method. *J. Quant. Spectrosc. Rad. Transf.*, **193**, 40-46, doi: 10.1016/j.jqsrt.2017.01.025. [[Abstract](#)]

Jakel, E., Wendisch, M., Krisna, T. C., Ewald, F., Kolling, T., Jurkat, T., Voigt, C., Cecchini, M. A., Machado, L. A. T., Afchine, A., Costa, A., Kramer, M., Andreae, M. O., Poschl, U., Rosenfeld, D., and Yuan, T., 2017: Vertical distribution of the particle phase in tropical deep convective clouds as derived from cloud-side reflected solar radiation measurements, *Atmos. Chem. Phys.*, **17**, 9049-9066, doi: 10.5194/acp-17-9049-2017. [[Abstract](#)]

Jakub, F. and B. Mayer, 2017: The role of 1-D and 3-D radiative heating in the organization of shallow cumulus convection and the formation of cloud streets. *Atmos. Chem. Phys.*, **17**, 13317-13327, doi: 10.5194/acp-17-13317-2017. [[Abstract](#)]

Klinger, C., Mayer, B., Jakub, F., Zinner, T., Park, S.-B., and Gentine, P., 2017: Effects of 3-D thermal radiation on the development of a shallow cumulus cloud field. *Atmos. Chem. Phys.*, **17**, 5477-5500, doi: 10.5194/acp-17-5477-2017. [[Abstract](#)]

Massie, S. T., K. S. Schmidt, A. Eldering, and D. Crisp, 2017: Observational evidence of 3-D cloud effects in OCO-2 retrievals. *J. Geophys. Res.*, **122**, 7064-7085, doi:10.1002/2016JD026111. [[Abstract](#)]

Okamura, R., H. Iwabuchi, K. S. Schmidt, 2017: Feasibility study of multi-pixel retrieval of optical thickness and droplet effective radius of inhomogeneous clouds using deep learning. *Atmos. Meas. Tech.*, **10**, 4747-4759, doi: 10.5194/amt-10-4747-2017. [[Abstract](#)]

Wang, Z., S. Cui, J. Yang, H. Gao, C. Liu, Z. Zhang, 2017: A novel hybrid scattering order-dependent variance reduction method for Monte Carlo simulations of radiative transfer in cloudy atmosphere. *J. Quant. Spectrosc. Rad. Transf.*, **189**, 283-302, doi: 10.1016/j.jqsrt.2016.12.002. [[Abstract](#)]

2016

- Adams, I. S., and M. H. Bettenhausen, 2016: Brightness Temperature Simulation of Observed Precipitation Using a Three-Dimensional Radiative Transfer Model. *J. Atmos. Oceanic Tech.*, **33**, 2053-2064, doi: 10.1175/jtech-d-15-0241.1. [[Abstract](#)]
- Alexandrov, M.D., B. Cairns, C. Emde, A.S. Ackerman, M. Ottaviani, and A.P. Wasilewski, 2016: Derivation of cumulus cloud dimensions and shape from the airborne measurements by the Research Scanning Polarimeter. *Remote Sens. Environ.*, **177**, 144-152, doi: 10.1016/j.rse.2016.02.032. [[Abstract](#)]
- Emde, C., R. Buras-Schnell, A. Kylling, B. Mayer, J. Gasteiger, U. Hamann, J. Kylling, B. Richter, C. Pause, T. Dowling, and L. Bugliaro, 2016: The libRadtran software package for radiative transfer calculations (Version 2.0.1), *Geosci. Model Dev.*, **9**, 1647-1672, doi:10.5194/gmd-9-1647-2016. [[Abstract](#)]
- Hogan, R. J., S. A. K. Schafer, C. Klinger, J. C. Chiu, and B. Mayer, 2016: Representing 3-D cloud radiation effects in two-stream schemes: 2. Matrix formulation and broadband evaluation. *J. Geophys. Res.*, **121**, 8583-8599, doi: 10.1002/2016JD024875. [[Abstract](#)]
- Jakub, F. and B. Mayer, 2016: 3-D radiative transfer in large-eddy simulations - experiences coupling the TenStream solver to the UCLA-LES. *Geosci. Model Dev.*, **9**, 1413-1422, doi: 10.5194/gmd-9-1413-2016. [[Abstract](#)]
- Klinger, C., and B. Mayer, 2016: The Neighboring Column Approximation (NCA) - A fast approach for the calculation of 3D thermal heating rates in cloud resolving models. *J. Quant. Spectr. Rad. Transf.*, **168**, 17-28, doi:10.1016/j.jqsrt.2015.08.020 [[Abstract](#)]
- Okamoto, H., K. Sato, T. Nishizawa, N. Sugimoto, T. Makino, Y. Jin, A. Shimizu, T. Takano, and M. Fujikawa, 2016: Development of a multiple-field-of-view multiple-scattering polarization lidar: comparison with cloud radar. *Opt. Express*, **24**, 30053-30067. [[Full paper](#)]
- Schafer, S. A. K., R. J. Hogan, C. Klinger, J. C. Chiu, and B. Mayer, 2016: Representing 3-D cloud radiation effects in two-stream schemes: 1. Longwave considerations and effective cloud edge length. *J. Geophys. Res.*, **121**, 8567-8582, doi: 10.1002/2016JD024876. [[Abstract](#)]
- Song, S., K.S. Schmidt, P., Pilewskie, M.D., King, A.K., Heidinger, A., Walther, H., Iwabuchi, G., Wind, O.M., and Coddington, 2016: The spectral signature of cloud spatial structure in shortwave irradiance, *Atmos. Chem. Phys.*, **16**, 13791-13806, doi: 10.5194/acp-16-13791-2016. [[Abstract](#)]
- Stap, F. A., O.P. Hasekamp, C. Emde, and T. Rockmann, 2016: Influence of 3D effects on 1D aerosol retrievals in synthetic, partially clouded scenes. *J. Quant. Spect. Rad. Trans.*, **170**, 54-68, doi: 10.1016/j.jqsrt.2015.10.008. [[Abstract](#)]
- Stap, F. A., O. Hasekamp, C. Emde, and T. Rockmann, 2016: Multiangle photopolarimetric aerosol retrievals in the vicinity of clouds: Synthetic study based on a large eddy simulation. *J. Geophys. Res.*, **121**, 12,914-12,935 doi: 10.1002/2016JD024787. [[Abstract](#)]
- Wen, G., A. Marshak, T. Varnai, and R. C. Levy, 2016: Testing the Two-Layer Model for Correcting Near Cloud Reflectance Enhancement Using LES/SHDOM Simulated Radiances. *J. Geophys. Res.*, **121**, 9661-9674, doi: 10.1002/2016JD025021. [[Abstract](#)]
- Zhang, Z., F. Werner, H.-M. Cho, G. Wind, S. Platnick, A. S. Ackerman, L. Di Girolamo, A. Marshak, and K. Meyer, 2016: A framework based on 2-D Taylor expansion for quantifying the impacts of subpixel reflectance variance and covariance on cloud optical thickness and effective radius retrievals based on the bispectral method. *J. Geophys. Res.*, **121**, doi: 10.1002/2016JD024837. [[Abstract](#)]
- Zhao, G., L. Di Girolamo, D.J. Diner, C.J. Bruegge, K. Mueller, and D.L. Wu, 2016: Regional changes in Earth's color and texture as observed from space over a 15-year period. *IEEE Trans. Geosci. Remote Sens.*, **54**, 4240-4249, doi:10.1109/TGRS.2016.2538723. [[Abstract](#)]

2015

Barker, H. W., Cole, J. N. S., Li, J., Yi, B., & Yang, P., 2015: Estimation of errors in two-stream approximations of the solar radiative transfer equation for cloudy-sky conditions. *J. Atmos. Sci.*, **72**, 4053-4074, doi: 10.1175/JAS-D-15-0033.1. [[Full paper](#)]

Cho, H.-M., Z. Zhang, K. Meyer, M. Lebsock, S. Platnick, A. S. Ackerman, L. Di Girolamo, L. C.-Labonnote, C. Cornet, J. Riedi, R. Holz, 2015: Frequency and causes of failed MODIS cloud property retrievals for liquid phase clouds over global oceans. *J. Geophys. Res.*, **120**, 4132-4154, doi:10.1002/2015JD023161. [[Abstract](#)]

Ewald, F., Winkler, C., and T. Zinner, 2015: Reconstruction of cloud geometry using a scanning cloud radar. *Atmos. Meas. Tech.*, **8**, 2491-2508, doi: 10.5194/amt-8-2491-2015. [[Abstract](#)]

Fauchez, T., P. Dubuisson, C. Cornet, F. Szczap, A. Garnier, J. Pelon, and K. Meyer, 2015: Impacts of cloud heterogeneities on cirrus optical properties retrieved from space-based thermal infrared radiometry. *Atmos. Meas. Tech.*, **8**, 633-647, doi:10.5194/amt-8-633-2015 [[Abstract](#)]

Illingworth, A. J., H. W. Barker, A. Beljaars, M. Ceccaldi, H. Chepfer, N. Clerbaux, J. Cole, J. Delanoë, C. Domenech, D. P. Donovan, S. Fukuda, M. Hiraoka, R. J. Hogan, A. Huenerbein, P. Kollias, T. Kubota, T. Nakajima, T. Y. Nakajima, T. Nishizawa, Y. Ohno, H. Okamoto, R. Oki, K. Sato, M. Satoh, M. W. Shephard, A. Velázquez-Beníquez, U. Wandinger, T. Wehr, and G.-J. van Zadelhoff, 2015: The EarthCARE Satellite: The Next Step Forward in Global Measurements of Clouds, Aerosols, Precipitation, and Radiation. *Bull. Amer. Meteor. Soc.*, **96**, 1311-1332, doi: http://dx.doi.org/10.1175/BAMS-D-12-00227.1. [[Abstract](#)]

Jakub, F., and B. Mayer, 2015: A three-dimensional parallel radiative transfer model for atmospheric heating rates for use in cloud resolving models--The TenStream solver. *J. Quant. Spectr. Rad. Transf.*, **163**, 63-71, doi:10.1016/j.jqsrt.2015.05.003 [[Abstract](#)]

Liang, L. L. Di Girolamo, and W. Sun, 2015: Bias in MODIS cloud drop effective radius for oceanic water clouds as deduced from optical thickness variability across scattering angle. *J. Geophys. Res.*, **120**, doi:10.1002/2015JD023256. [[Abstract](#)]

Merelli, A., R. Bennartz, C. W. O'Dell, and T. E. Taylor, 2015: Estimating bias in the OCO-2 retrieval algorithm caused by 3-D radiation scattering from unresolved boundary layer clouds. *Atmos. Meas. Tech.*, **8**, 1641-1656, doi:10.5194/amt-8-1641-2015, 2015. [[Abstract](#)]

Peers, F., F. Waquet, C. Cornet, P. Dubuisson, F. Ducos, P. Goloub, F. Szczap, D. Tanre, and F. Thieuleux, 2015: Absorption of aerosols above clouds from POLDER/PARASOL measurements and estimation of their direct radiative effect. *Atmos. Chem. Phys.*, **15**, 4179-4196, doi:10.5194/acp-15-4179-2015 [[Abstract](#)]

Schafer, M., E. Bierwirth, A. Ehrlich, E. Jakel, and M. Wendisch, 2015: Airborne observations and simulations of three-dimensional radiative interactions between Arctic boundary layer clouds and ice floes. *Atmos. Chem. Phys.*, **15**, 8147-8163, doi:10.5194/acp-15-8147-2015. [[Abstract](#)]

2014

Davis, A. B., and F. Xu, 2014: A generalized linear transport model for spatially correlated stochastic media. *J. Computational and Theoretical Transport*, **43**, 1-7, doi: 10.1080/23324309.2014.978083. [[Abstract](#)] [[Full paper \(PDF, 719 kB\)](#)]

- Doicu, A., D. S. Efremenko, D. Loyola, and T. Trautmann, 2014: Approximate models for broken clouds in stochastic radiative transfer theory. *J. Quant. Spectr. Rad. Transf.*, **145**, 74-87, doi: 10.1016/j.jqsrt.2014.04.025. [[Abstract](#)]
- Doicu, A., D. Efremenko, D. Loyola, and T. Trautmann, 2014: Discrete ordinate method with matrix exponential for stochastic radiative transfer in broken clouds. *J. Quant. Spectr. Rad. Transf.*, **138**, 1-16, doi: 10.1016/j.jqsrt.2014.01.011. [[Abstract](#)]
- Fauchez, T., C. Cornet, F. Szczap, P. Dubuisson, and T. Rosambert, 2014: Impact of cirrus clouds heterogeneities on top-of-atmosphere thermal infrared radiation. *Atmos. Chem. Phys.*, **14**, 5599-5615, doi: 10.5194/acp-14-5599-2014 [[Abstract](#)]
- Fielding, M. D., J. C. Chiu, R. J. Hogan, and G. Feingold, 2014: A novel ensemble method for retrieving properties of warm cloud in 3D using ground-based scanning radar and zenith radiances. *J. Geophys. Res.*, **119**, 10912-10930, doi: 10.1002/2014JD021742. [[Abstract](#)]
- Grosvenor, D. P., and R. Wood, 2014: The effect of solar zenith angle on MODIS cloud optical and microphysical retrievals within marine liquid water clouds. *Atmos. Chem. Phys.*, **14**, 7291-7321, doi: 10.5194/acp-14-7291-2014. [[Abstract](#)]
- Ham, S.-H., S. Kato, H. W. Barker, F. G. Rose, and S. Sun-Mack, 2014: Effects of 3-D clouds on atmospheric transmission of solar radiation: Cloud type dependencies inferred from A-train satellite data. *J. Geophys. Res.*, **119**, 943-963, doi: 10.1002/2013JD020683. [[Abstract](#)]
- Horváth, Á., C. Seethala, and H. Deneke, 2014: View angle dependence of MODIS liquid water path retrievals in warm oceanic clouds. *J. Geophys. Res.*, **119**, doi:10.1002/2013JD021355. [[Abstract](#)] [[Full paper \(PDF, 8 MB\)](#)]
- Ishida, H., 2014: Application of the multigrid method in a deterministic solution scheme for the three-dimensional radiative transfer equation. *J. Quant. Spectr. Rad. Transf.*, **133**, 396-411, doi: 10.1016/j.jqsrt.2013.09.003. [[Abstract](#)]
- Klinger, C., and B. Mayer, 2014: Three-dimensional Monte Carlo calculation of atmospheric thermal heating rates. *J. Quant. Spectr. Rad. Transf.*, **144**, 123-136, doi:10.1016/j.jqsrt.2014.04.009 [[Abstract](#)]
- Kostka, P. M., M. Weissmann, R. Buras, B. Mayer, O. Stiller, 2014: Observation operator for visible and near-infrared satellite reflectances. *J. Atmos. Oceanic Technol.*, **31**, 1216-1233, doi: http://dx.doi.org/10.1175/JTECH-D-13-00116.1. [[Abstract](#)]
- Marshak, A., K. F. Evans, T. Várnai, and G. Wen, 2014: Extending 3D cloud corrections from shorter to longer wavelengths. *J. Quant. Spec. Rad. Trans*, **147**, 79-85, doi:10.1016/j.jqsrt.2014.05.022. [[Abstract](#)]
- Martin, W., B. Cairns, and G. Bal, 2014: Adjoint methods for adjusting three-dimensional atmosphere and surface properties to fit multi-angle/multi-pixel polarimetric measurements. *J. Quant. Spectr. Rad. Transf.*, **144**, 68-85, doi: 10.1016/j.jqsrt.2014.03.030. [[Abstract](#)]
- Min, M., and Z. Zhang, 2014: On the influence of cloud fraction diurnal cycle and sub-grid cloud optical thickness variability on all-sky direct aerosol radiative forcing. *J. Quant. Spec. Rad. Trans*, **142**, 25-26. doi: 10.1016/j.jqsrt.2014.03.014. [[Abstract](#)]
- Szczap, F., Y. Gour, T. Fauchez, C. Cornet, T. Faure, O. Jourdan, G. Penide, and P. Dubuisson, 2014: A flexible three-dimensional stratocumulus, cumulus and cirrus cloud generator (3DCLOUD) based on drastically simplified atmospheric equations and the Fourier transform framework. *Geosci. Model Develop.*, **7**, 1779-1801. doi: 10.5194/gmd-7-1779-2014 [[Abstract](#)]

2013

Doicu, A., D. Efremenko, and T. Trautmann, 2013: An analysis of the short-characteristic method for the spherical harmonic discrete ordinate method (SHDOM). *J. Quant. Spectr. Rad. Transfer*, **119**, 114-127, doi: 10.1016/j.jqsrt.2012.12.024. [[Abstract](#)]

Fielding, M. D., J. C. Chiu, R. J. Hogan, and G. Feingold, 2013: 3D cloud reconstructions: Evaluation of scanning radar scan strategy with a view to surface shortwave radiation closure, *J. Geophys. Res.*, **118**, 9153-9167, doi: 10.1002/jgrd.50614. [[Abstract](#)]

Hogan, R. J., J. K. P. Shonk, 2013: Incorporating the effects of 3D radiative transfer in the presence of clouds into two-stream multilayer radiation schemes. *J. Atmos. Sci.*, **70**, 708-724, doi: <http://dx.doi.org/10.1175/JAS-D-12-041.1>. [[Abstract](#)]

Jakel, E., Wendisch, M., and Mayer, B., 2013: Influence of spatial heterogeneity of local surface albedo on the area-averaged surface albedo retrieved from airborne irradiance measurements. *Atmos. Meas. Tech.*, **6**, 527-537, doi:10.5194/amt-6-527-2013. [[Abstract](#)]

Langmore, I., A. B. Davis, and G. Bal, 2013: Multi-pixel retrieval of structural and optical parameters in a 2D scene with a path-recycling Monte Carlo forward model and a new Bayesian inference engine, *IEEE Trans. Geosc. and Remote Sens.*, **51**, 2903-2919. [[Abstract](#)] [[Full paper \(PDF 1200 KB\)](#)]

Liang, L., and L. Di Girolamo, 2013: A global analysis on the view-angle dependence of plane-parallel oceanic liquid water cloud optical thickness using data synergy from MISR and MODIS. *J. Geophys. Res.*, **118**, doi:10.1029/2012JD018201. [[Abstract](#)]

Várnai, T., A. Marshak, and W. Yang, 2013: Multi-satellite aerosol observations in the vicinity of clouds. *Atmos. Chem. Phys.*, **13**, 3899-3908, doi:10.5194/acp-13-3899-2013. [[Abstract](#)]

Wen, G., A. Marshak, R. C. Levy, L. A. Remer, N. G. Loeb, T. Várnai, and R. F. Cahalan, 2013: Improvement of MODIS aerosol retrievals near clouds. *J. Geophys. Res.*, **118**, 9168-9181, doi:10.1002/jgrd.50617. [[Abstract](#)]

Wissmeier, U., R. Buras, B. Mayer, 2013: paNTICA: A Fast 3D radiative transfer scheme to calculate surface solar irradiance for NWP and LES models. *J. Appl. Meteor. Climatol.*, **52**, 1698-1715, doi: <http://dx.doi.org/10.1175/JAMC-D-12-0227.1>. [[Abstract](#)]

Xu, F., R. A. West, and A. B. Davis, 2013: A hybrid method for polarized radiative transfer computation in a spherical-shell planetary atmosphere, *J. Quant. Spectrosc. Rad. Transf.*, **117**, 59-70. [[Abstract](#)] [[Full paper \(PDF 865 KB\)](#)]

2012

Barker, H. W., S. Kato, and T. Wehr, 2012: Computation of solar radiative fluxes by 1D and 3D methods using cloudy atmospheres inferred from A-train satellite data. *Surveys in Geophysics*, **33**, 657-676. [[Abstract](#)]

Chiu, J., A. Marshak, C. H. Huang, T. Várnai, R. Hogan, D. M. Giles, B. N. Holben, E. O'Connor, Y. Knyazikhin, and W. J. Wiscombe, 2012: Cloud droplet size retrievals from zenith radiance measurements: examples from the Atmospheric Radiation Measurement Program and the Aerosol Robotic Network. *Atmos. Chem. Phys.*, **12**, 10313-10329, doi:10.5194/acp-12-10313-2012. [[Abstract](#)]

Forster, L., C. Emde, B. Mayer, and S. Unterstrasser, 2012: Effects of three-dimensional photon transport on the radiative forcing of realistic contrails. *J. Atmos. Sci.*, **33**, 2243-2255. [[Abstract](#)]

Gatebe, C. K., T. Várnai, R. Poudyal, C. Ichoku, and M. D. King, 2012: Taking the Pulse of PyroCumulus Clouds. *Atmos. Environment*, **52**, 121-130. [[Abstract](#)]

Gimeno Garcia, S., T. Trautmann, and V. Venema, 2012: Reduction of radiation biases by incorporating the missing cloud variability by means of downscaling techniques: a study using the 3-D MoCaRT model. *Atmos. Meas. Tech.*, **5**, 2261-2276. [[Abstract](#)]

Godoy, W. F., and X. Liu, 2012: Parallel Jacobian-free Newton Krylov solution of the discrete ordinates method with flux limiters for 3D radiative transfer. *J. Computational Phys.*, **231**, 4257-4278. [[Abstract](#)]

Marshak, A., Y. Knyazikhin, C. Chiu, and W. Wiscombe, 2012: On spectral invariance of single scattering albedo for water droplets and ice crystals at weakly absorbing wavelengths. *J. Quant. Spectrosc. Radiat. Transfer*, **113**, 715-720. [[Abstract](#)] [[Full paper \(PDF 1.1 MB\)](#)]

Matsuda, K., R. Onishi, R. Kurose, and S. Komori, 2012: Turbulence effect on cloud radiation. *Phys. Rev. Lett.*, **108**, 224502. (4 pages) [[Abstract](#)]

Pounder, N. L., R. J. Hogan, T. Várnai, A. Battaglia, and R. F. Cahalan, 2012: A variational method to retrieve the extinction profile in liquid clouds using multiple field-of-view lidar. *J. Appl. Meteor. Climatol.*, **51**, 350-366, doi: <http://dx.doi.org/10.1175/JAMC-D-10-05007.1>. [[Abstract](#)]

Shonk, J. K. P., R. J. Hogan, and J. Manners, 2012: Impact of improved representation of horizontal and vertical cloud structure in a climate model. *Climate Dynamics*, **38**, 2365-2376. [[Abstract](#)]

Várnai, T., and A. Marshak, 2012: Analysis of co-located MODIS and CALIPSO observations near clouds. *Atmos. Meas. Tech.*, **5**, 389-396. doi:10.5194/amt-5-389-2012. [[Abstract](#)] [[Full paper \(PDF 852 KB\)](#)]

Zhang, Z., A. S. Ackerman, G. Feingold, S. Platnick, R. Pincus, and H. Xue, 2012: Effects of cloud horizontal inhomogeneity and drizzle on remote sensing of cloud droplet effective radius: Case studies based on large-eddy simulations. *J. Geophys. Res.*, **117**, D19208, doi:10.1029/2012JD017655. [[Abstract](#)]

Z. Wang, S. Yang, Y. Qiao, S. Cui, and Q. Zhao, 2012: Monte Carlo simulations of radiative transfer in cloudy atmosphere over sea surfaces. *Terrestrial Atmos. Oceanic Sci.*, **23**, 59-70. [[Abstract](#)]

2011

Bal, G., A. B. Davis, and I. Langmore, 2011: A hybrid (Monte-Carlo/deterministic) approach for multi-dimensional radiation transport, *J. Comput. Phys.*, **230**, 7723-7735.

Barker, H. W., M. P. Jerg, T. Wehr, S. Kato, D. P. Donovan, and R. J. Hogan, 2011: A 3D cloud-construction algorithm for the EarthCARE mission, *Q. J. R. Meteorol. Soc.*, **137**, 1042-1058.

Buras, R., and B. Mayer, 2011: Efficient unbiased variance reduction techniques for Monte Carlo simulations of radiative transfer in cloudy atmospheres: The solution *J. Quant. Spectr. Radiative Transfer*, **112**, 434-447.

Berg, L. K., E. I. Kassianov, C. N. Long, D. L. Mills, 2011: Surface summertime radiative forcing by shallow cumuli at the Atmospheric Radiation Measurement Southern Great Plains site. *J. Geophys. Res.*, **116**, D01202, doi: 10.1029/2010JD014593.

Deutschmann T, et al., 2011: The Monte Carlo atmospheric radiative transfer model McArtim: Introduction and validation of Jacobians and 3D features. *J. Quant. Spectr. Radiative Transfer*, **112**, 1119-1137., doi:10.1016/j.jqsrt.2010.12.009.

Davis, A. B., and M. B. Mineev-Weinstein, 2011: Radiation propagation in random media: From positive to negative correlations in high-frequency fluctuations, *J. Quant. Spectrosc. Rad. Transf.*, **112**, 632-645.

Emde, C., R. Buras, and B. Mayer, 2011: ALIS: An efficient method to compute high spectral resolution polarized solar radiances using the Monte Carlo approach *J. Quant. Spectrosc. Rad. Transf.*, **112**, 1622-1631.

Kablick, G. P., R. G. Ellingson, E. E. Takara, and J. J. Gu, 2011: Longwave 3D Benchmarks for Inhomogeneous Clouds and Comparisons with Approximate Methods. *J. Climate*, **24**, 2192-2205.

Kniffka, A., and T. Trautmann, 2011: Combining the independent pixel and point-spread function approaches to simulate the actinic radiation field in moderately inhomogeneous 3D cloudy media. *J. Quant. Spectr. Rad. Transf.*, **112**, 1383-1393, doi: 10.1016/j.jqsrt.2011.01.026.

Marshak, A., Y. Knyazikhin, C. Chiu, and W. Wiscombe, 2011: Spectrally-invariant approximation within atmospheric radiative transfer. *J. Atmos. Sci.*, **68**, 3094-3111.

Morf, H., 2011: The stochastic two-state cloud cover model STSCCM. *Solar Energy*, **85**, 985-999. doi: 10.1016/j.solener.2011.02.015.

Song, L., and Q. L. Min, 2011: Cloud 3D effects on broadband heating rate profiles: I. Model simulation *J. Quant. Spectr. Radiative Transfer*, **112**, 292-303.

Várnai, T., and A. Marshak, 2011: Global CALIPSO Observations of Aerosol Changes Near Clouds. *IEEE Geo. Rem. Sens. Lett.*, **8 (1)**, 19-23.

Wang, Z., S. Yang, Y. Qiao, S. Cui, and Q. Zhao, 2011: Multiple-scaling methods for Monte Carlo simulations of radiative transfer in cloudy atmosphere *J. Quant. Spectr. Radiative Transfer*, **112**, 2619-2629.

Yang, Y., A. Marshak, S. Palm, T. Varnai, and W.J. Wiscombe 2011: Cloud impact on surface altimetry from a spaceborne 532 nm micro-pulse photon counting lidar: system modeling for cloudy and clear atmospheres. *IEEE Trans. Geos. Remote Sens.*, 10.1109/TGRS.2011.2153860.

Zhang, Z. and S. Platnick, 2011: An assessment of differences between cloud effective particle radius retrievals for marine water clouds from three MODIS spectral bands. *J. Geophys. Res.*, **116**, D20215, doi:10.1029/2011JD016216.

2010

Alexandrov, M. D., A. Marshak, and A. S. Ackerman, 2010: Cellular statistical models of broken cloud fields. Part I: Theory. *J. Atmos. Sci.*, **67**, 2125-2151, doi:10.1175/2010JAS3364.1.

Alexandrov, M. D., A. Marshak, and A. S. Ackerman, 2010: Cellular statistical models of broken cloud fields. Part II: Comparison with dynamical model, statistics of diverse ensembles. *J. Atmos. Sci.*, **67**, 2152-2170, doi:10.1175/2010JAS3365.1.

Bass, L.P., O.V. Nikolaeva, V.S. Kuznetsov, A.A. Kokhanovsky, 2010: Radiation balance in a cloudy atmosphere with account for the 3D effects. *Atmospheric Research*, **98**, L18809, doi:10.1029/2010GL044094.

Chiu, J. C., C.-H. Huang, A. Marshak, I. Slutsker, D. M. Giles, B. N. Holben, Y. Knyazikhin, and W. J. Wiscombe (2010), Cloud optical depth retrievals from the Aerosol Robotic Network (AERONET) cloud mode observations. *J. Geophys. Res.*, **115**, D14202, doi:10.1029/2009JD013121.

Cornet, C., L. C-Labonnote, and F. Szczap, 2010: Three-dimensional polarized Monte Carlo atmospheric radiative transfer model (3DMCPOL): 3D effects on polarized visible reflectances of a cirrus cloud. *J. Quant. Spectr. Radiative Transfer*, **111**, 174-186, doi:10.1016/j.jqsrt.2009.06.013.

Davis, A. B., and A. Marshak, 2010: Solar radiation transport in the cloudy atmosphere: a 3D perspective on observations and climate impacts. *Reports on progress in Physics*, **73**, 026801, doi:10.1088/0034-4885/73/2/026801.

Di Girolamo, L., L. Liang, and S. Platnick 2010: A global view of one-dimensional solar radiative transfer through oceanic water clouds. *Geophys. Res. Lett.*, **37**, L18809, doi:10.1029/2010GL044094.

Emde, C., Buras, R., Mayer, B., and Blumthaler, M., 2010: The impact of aerosols on polarized sky radiance: model development, validation, and applications. *Atmos. Chem. Phys.*, **10**, 383-396.

Foster, M. J., and D. E. Veron, 2010: Employing Cluster Analysis to Detect Significant Cloud 3D RT Effect Indicators. *J. Atmos. Sci.*, **67**, 2226-2239, doi: 10.1175/2010JAS3414.1.

Li, S., and Q. Min 2010: Diagnosis of multilayer clouds using photon path length distributions. *J. Geophys. Res.*, **115**, D20202, doi:10.1029/2009JD013774.

Mayer, B., S.W. Hoch, and C. D. Whiteman, 2010: Validating the MYSTIC three-dimensional radiative transfer model with observations from the complex topography of Arizona's Meteor Crater. *Atmos. Chem. Phys.*, **10**, 8685-8696, doi: 10.5194/acp-10-8685-2010.

Schmidt, K. S., P. Pilewskie, B. Mayer, M. Wendisch, B. Kindel, S. Platnick, M. D. King, G. Wind, G. T. Arnold, L. Tian, G. Heymsfield, and H. Kalesse 2010: Apparent absorption of solar spectral irradiance in heterogeneous ice clouds. *J. Geophys. Res.*, **115**, D00J22, doi:10.1029/2009JD013124, 2010.

Seethala, C., and A. Horváth, Global assessment of AMSR-E and MODIS cloud liquid water path retrievals in warm oceanic clouds. *J. Geophys. Res.*, **115**, D13202, doi:10.1029/2009JD012662.

Várnai, T. 2010: Multiyear statistics of 2-D shortwave radiative effects at three ARM sites. *J. Atmos. Sci.*, **67**, 3757-3762, doi: 10.1175/2010JAS3506.1.

Venema, Victor, Sebastian Gimeno Garc and Clemens Simmer, 2010: A new algorithm for the downscaling of cloud fields. *Quart. J. Royal Meteor. Soc.*, **136**, Part A, 91-106.

Zinner, T., G. Wind, S. Platnick, and A. S. Ackerman, 2010: Testing remote sensing on artificial observations: impact of drizzle and 3-D cloud structure on effective radius retrievals *Atmos. Chem. Phys.*, **10**, 9535-9549.

2009

Battaglia, A., P. Saavedra, C. Simmer, and T. Rose, 2009: Rain observations by a multi-frequency dual polarized radiometer. *IEEE Geo. Rem. Sens. Lett.*, **6 (2)**, 354-358.

Davis, A.B., I.N. Polonsky, and A. Marshak, 2009: Space-time Green functions for diffusive radiation transport, in application to active and passive cloud probing, in *Light Scattering Reviews*, **4**, A. Kohkanovsky (Ed.), Springer, Heidelberg (Germany), pp. 169-292.

Frame, J. W., J. L. Petters, P. M. Markowski, J. Y. Harrington, 2009: An application of the tilted independent pixel approximation to cumulonimbus environments. *Atmospheric Research*, **91**, 127-136.

Gabriel, P., H. W. Barker, D. O'Brien, N. Ferlay, and G. L. Stephens, 2009: Statistical approaches to error identification for plane-parallel retrievals of optical and microphysical properties of three-dimensional clouds: Bayesian inference. *J. Geophys. Res.*, **114**, D06207, doi:10.1029/2008JD011005.

Kato, S., and A. Marshak, 2009: Solar zenith and viewing geometry-dependent errors in satellite retrieved cloud optical thickness: Marine stratocumulus case, *J. Geophys. Res.*, **114**, D01202, doi:10.1029/2008JD010579.

Liang, L., L. Di Girolamo, and S. Platnick, 2009: View-angle consistency in reflectance, optical thickness and spherical albedo of marine water-clouds over the northeastern Pacific through MISR-MODIS fusion. *Geophys. Res. Lett.*, **36**, L09811, doi:10.1029/2008GL037124.

Lovejoy, S., Watson, B. P., Y. Grosdidier, D. Schertzer, 2009: Scattering in thick multifractal clouds, Part II: Multiple Scattering. *Physica, A*, **388**, 3711-3727, doi:10.1016/j.physa.2009.05.037.

Lovejoy, S., D. Schertzer, V. Allaire, T. Bourgeois, S. King, J. Pinel, J. Stolle, 2009: Atmospheric complexity or scale by scale simplicity? *Geophys. Res. Lett.*, **36**, 1, doi:10.1029/2008GL035863.

Mayer, B., 2009: Radiative transfer in the cloudy atmosphere. *European Physical Journal Conferences*, **1**, 75-99.

Pincus, R., and K. F. Evans, 2009: Computational cost and accuracy in calculating three-dimensional radiative transfer: Results for new implementations of Monte Carlo and SHDOM. *J. Atmos. Sci.*, **66**, 3131-3146.

Tackett, J. L., and L. Di Girolamo, 2009: Enhanced aerosol backscatter adjacent to tropical trade wind clouds revealed by satellite-based lidar. *Geophys. Res. Lett.*, **36**, L14804, doi:10.1029/2009GL039264.

Várnai, T., and A. Marshak, 2009: MODIS observations of enhanced clear sky reflectance near clouds. *Geophys. Res. Lett.*, **36**, L06807, doi:10.1029/2008GL037089.

Veron, DE, Christopher P. Weaver, Fabrice Veron, and Michael J. Foster, 2009: Stochastic Radiative Transfer on Modeled Cloud Fields. *IEEE Geo. Rem. Sens. Lett.*, **6 (2)**, 184-188.

Watson, B. P., S. Lovejoy, Y. Grosdidier, D. Schertzer, 2009: Scattering in thick multifractal clouds, Part I: Overview and single scattering scattering in thick multifractal clouds. *Physica, A*, **388**, 3695-3710, doi:10.1016/j.physa.2009.05.038.

2008

Battaglia, A., and C. Simmer, 2008: How does multiple scattering affect the spaceborne W-band radar measurements at ranges close to and crossing the surface-range? *IEEE Trans. Geosci. Remote Sensing*, **46**, 1644-1651.

Battaglia, A., S. Kobayashi, S. Tanelli, E. Im, and C. Simmer, 2008: Multiple scattering effects in pulsed radar systems: an intercomparison study. *J. Atm. Ocean. Tech.*, **25 (9)**, 1556-1567.

Cornet, C., and R. Davies, 2008: Use of MISR measurements to study the radiative transfer of an isolated convective cloud: Implications for cloud optical thickness retrieval. *J. Geophys. Res.*, **113**, D04202.

- Davis, A. B., 2008: Multiple-scattering lidar from both sides of the clouds: Addressing internal structure. *J. Geophys. Res.*, **113**, D14S10, doi:10.1029/2007JD009666.
- de Roode, S. R., and A. Los, 2008: The effect of temperature and humidity fluctuations on the liquid water path of non-precipitating closed-cell stratocumulus clouds. *Q. J. R. Meteorol. Soc.*, **134**, 403-416.
- Evans, K.F., A. Marshak, and T. Várnai, 2008: The potential for improved cloud optical depth retrievals from the multiple directions of MISR. *J. Atmos. Sci.*, **65**, 3179-3196.
- Hogan, R. J., 2008: Fast lidar and radar multiple-scattering models: Part I: Small-angle scattering using the photon variance-covariance method. *J. Atmos. Sci.*, **65**, 3621-3635.
- Hogan, R. J., and A. Battaglia, 2008: Fast lidar and radar multiple-scattering models: Part II: Wide-angle scattering using the time-dependent two-stream approximation. *J. Atmos. Sci.*, **65**, 3636-3651.
- Kassianov, E. I., and M. Ovtchinnikov, 2008: On reflectance ratios and aerosol optical depth retrieval in the presence of cumulus clouds. *Geophys. Res. Lett.*, **35**, L06807.
- Marshak, A., G. Wen, J. Coakley, L. Remer, N. G. Loeb, and R. F. Cahalan, 2008: A simple model for the cloud adjacency effect and the apparent bluing of aerosols near clouds. *J. Geophys. Res.*, **113**, D14S17, doi:10.1029/2007JD009196.
- Mechem, DB, Yefim L. Kogan, Mikhail Ovtchinnikov, Anthony B. Davis, K. Franklin Evans, and Robert G. Ellingson 2008: Multidimensional Longwave Forcing of Boundary Layer Cloud Systems. *J. Atmos. Sci.*, **65**, 3963-3977.
- Pukite J., S. Kuhl, T. Deutschmann, U. Platt, T. Wagner, 2008: Accounting for the effect of horizontal gradients in limb measurements of scattered sunlight. *Atmos. Chem. Phys.*, **12**, 3045-3060.
- Roebeling, R. A., H. M. Deneke, and A. J. Feijt, 2008: Validation of cloud liquid water path retrievals from SEVIRI using one year of Cloudnet observations. *J. Applied Meteor. and Climat.*, **47**, 206-222.
- Shonk, J. K. P., and R. J. Hogan, 2008: Tripleclouds: An efficient method for representing horizontal cloud inhomogeneity in 1D radiation schemes by using three regions at each height. *J. Climate*, **21**, 2352-2370.
- Taylor, P. C., and R. G. Ellingson, 2008: A Study of the probability of clear line of sight through single-layer cumulus cloud fields in the tropical Western Pacific. *J. Atmos. Sci.*, **65**, 3497-3512.
- Thiel, S., L. Ammannato, A. Bais, B. Bandy, M. Blumthaler, B. Bohn, O. Engelsen, G. P. Gobbi, J. Grobner, E. Jakel, W. Junkermann, S. Kazadzis, R. Kift, B. Kjeldstad, N. Kouremeti, A. Kylling, B. Mayer, P. S. Monks, C. E. Reeves, B. Schallhart, R. Scheirer, S. Schmidt, R. Schmitt, J. Schreder, R. Silbernagl, C. Topaloglou, T. M. Thorseth, A. R. Webb, M. Wendisch, P. Werle, 2008: Influence of clouds on the spectral actinic flux density in the lower troposphere (INSPECTRO): overview of the field campaigns. *Atmos. Chem. Phys.*, **8**, 1789-1812.
- Wang, Y., D. R. Lu, and J. Huo, 2008: Impact of cloud inhomogeneity on bi-directional reflectance. *Chinese Sci. Bull.*, **53**, 124-130.
- Wen G., A. Marshak, and R. F. Cahalan, 2008: Importance of molecular Rayleigh scattering in the enhancement of clear sky radiance in the vicinity of boundary layer cumulus clouds *J. Geophys. Res.*, **113**, doi:10.1029/2008JD010592.
- Yang, Y. K., and L. Di Girolamo, 2008: Impacts of 3-D radiative effects on satellite cloud detection and their consequences on cloud fraction and aerosol optical depth retrievals. *J. Geophys. Res.*, **113**, D04213.

Zhai, P. W., G. W. Kattawar, and P. Yang, 2008: Impulse response solution to the three-dimensional vector radiative transfer equation in atmosphere-ocean systems. I. Monte Carlo method. *Applied Optics*, **47**, 1037-1047.

Zhong W., R. J. Hogan , and J. D. Haigh, 2008: Erratum to "Three-dimensional radiative transfer in midlatitude cirrus clouds". *Quart. J. Royal Meteor. Soc.*, **134**, 1065-1066.

Zhong W., R. J. Hogan , and J. D. Haigh, 2008: Three-dimensional radiative transfer in midlatitude cirrus clouds. *Quart. J. Royal Meteor. Soc.*, **134**, 199-215.

Zinner, T., A. Marshak, S. Lang, J. V. Martins, and B. Mayer, 2008: Remote sensing of cloud sides of deep convection: towards a three-dimensional retrieval of cloud particle size profiles. *Atmos. Chem. Phys. Disc.*, **8**, 4741-4757.

Zuidema, P., H. Xue, and G. Feingold, 2008: Shortwave radiative impacts from aerosol effects on marine shallow cumuli. *J. Atmos. Sci.*, **65**, 1979-1990.

2007

Battaglia, A., and C. Simmer, 2007: Explaining the polarization signal from rain dichroic effects. *J. Quant. Spectr. Radiative Transfer*, **105**, 84-101.

Battaglia, A., M. O. Ajewole, and C. Simmer, 2007: Evaluation of radar multiple scattering effects in Cloudsat configuration. *Atmos. Chem. Phys.*, **7**, 1719-1730.

Buriez, J. C., F. Parol, Z. Poussi, and M. Viollier, 2007: An improved derivation of the top-of-atmosphere albedo from POLDER/ADEOS-2: 2. Broadband albedo. *J. Geophys. Res.*, **112**, D19201.

Chosson, F., J.-L. Brenguier, and L. Schuller, 2007: Entrainment-mixing and radiative transfer simulation in boundary layer clouds. *J. Atmos. Sci.*, **64**, 2670-2682.

Davis, C. P., K. F. Evans, S. A. Buehler, D. L. Wu, H. C. Pumphrey, 2007: 3-D polarised simulations of space-borne passive mm/sub-mm midlatitude cirrus observations: a case study. *Atmos. Chem. Phys.*, **7**, 4149-4158.

Dim, J. R., T. Takamura, I. Okada, T. Y. Nakajima, H. Takenaka, 2007: Influence of inhomogeneous cloud fields on optical properties retrieved from satellite observations. *J. Geophys. Res.*, **112**, D13202, doi: 10.1029/2006JD007891.

Emde, C., and B. Mayer, 2007: Simulation of solar radiation during a total eclipse: A challenge for radiative transfer. *Atmos. Chem. Phys.*, **7**, 2259-2270.

Gounou, A., and R. J. Hogan, 2007: A sensitivity study of the effect of horizontal photon transport on the radiative forcing of contrails. *J. Atmos. Sci.*, **64**, 1706-1716.

Eriksson, P., M. Ekstrom, B. Rydberg, and D. P. Murtagh, 2007: First Odin sub-mm retrievals in the tropical upper troposphere: ice cloud properties. *Atmos. Chemistry Phys.*, **7**, 471-483.

Horváth, Á. and C. Gentemann, 2007: Cloud-fraction-dependent bias in satellite liquid water path retrievals of shallow, non-precipitating marine clouds. *Geophys. Res. Lett.*, **34**, L22806, doi:10.1029/2007GL030625.

Hinkelman, L. M., K. F. Evans, E. E. Clothiaux, T. P. Ackerman, and P. W. Stackhouse Jr., 2007: The effect of cumulus cloud field anisotropy on domain-averaged solar fluxes and atmospheric heating rates. *J. Atmos. Sci.*, **64**, 3499-3520.

- Ishida, H., and S. Asano, 2007: A quasi-analytic solution of the radiative transfer equation for three-dimensional atmospheres. *J. Quant. Spectr. Rad. Transfer*, **103**, 371-393.
- Ishida H, S. Asano, 2007: A finite-volume solution with a bidirectional upwind difference scheme for the three-dimensional radiative transfer equation. *J. Atmos. Sci.*, **64**, 4098-4112.
- Kazantzidis, A., A. F. Bais, C. Emde, S. Kazadzis, and C. S. Zerefos, 2007: Attenuation of global ultraviolet and visible irradiance over Greece during the total solar eclipse of 29 March 2006. *Atmos. Chem. Phys.*, **7**, 5959-5969.
- Kokhanovsky, A. A., B. Mayer, V. V. Rozanov, K. Wapler, L. N. Lamsal, M. Weber, J. P. Burrows, and U. Schumann, 2007: Satellite ozone retrieval under broken cloud conditions: An error analysis based on Monte Carlo simulations. *IEEE Trans. Geosci. Remote Sens.*, **45**, 187-194.
- Kokhanovsky, A. A., B. Mayer, V. V. Rozanov, K. Wapler, J. P. Burrows, and U. Schumann, 2007: The influence of broken cloudiness on cloud top height retrievals using nadir observations of backscattered solar radiation in the oxygen A-band. *J. Quant. Spectr. Rad. Transfer*, **103**, 460-477.
- Malinka, A. V., and E. P. Zege, 2007: Possibilities of warm cloud microstructure profiling with multiple-field-of-view Raman lidar. *Applied Optics*, **46**, 8419-8427.
- Ovtchinnikov, M., and R. T. Marchand, 2007: Cloud model evaluation using radiometric measurements from the airborne multiangle imaging spectroradiometer (AirMISR). *Remote Sens. Environ.*, **107**, 185-193.
- Richter, F., K. Barfus, F. H. Berger, and U. Gorsdorf, 2007: The influence of cloud top variability from radar measurements on 3-D radiative transfer. *Atmos. Chem. Phys.*, **7**, 4699-4708.
- Sassen, K., L. Wang, D. O'C. Starr, J. M. Comstock, and M. Quante, 2007: A midlatitude cirrus cloud climatology from the Facility for Atmospheric Remote Sensing. Part V: Cloud structural properties. *J. Atmos. Sci.*, **64**, 2483-2501.
- Schmidt, K. S., V. Venema, F. Di Giuseppe, R. Scheirer, M. Wendisch, P. Pilewskie, 2007: Reproducing cloud microphysical and irradiance measurements using three 3D cloud generators. *Quart. J. Royal Meteor. Soc.*, **133**, Part A, 765-780.
- Schmidt, K. S., P. Pilewskie, S. Platnick, G. Wind G, P. Yang P, M. Wendisch, 2007: Comparing irradiance fields derived from Moderate Resolution Imaging Spectroradiometer airborne simulator cirrus cloud retrievals with solar spectral flux radiometer measurements. *J. Geophys. Res.*, **112**, D24206.
- Tompkins, A. M., and F. Di Giuseppe, 2007: Generalizing cloud overlap treatment to include solar zenith angle effects on cloud geometry. *J. Atmos. Sci.*, **64**, 2116-2125.
- Vant-Hull, B., A. Marshak, L. Remer, and Z. Li, 2007: The effects of scattering angle and cumulus cloud geometry on satellite retrievals of cloud drop effective radius. *Geosci. Rem. Sens. Lett.*, **45**, 1039-1045.
- Várnai, T., and A. Marshak, 2007: View angle dependence of cloud optical thickness retrieved by MODIS. *J. Geophys. Res.*, **112**, D06203, doi:10.1029/2005JD006912.
- Wen, G., A. Marshak, R. F. Cahalan, L. A. Remer, and R. G. Kleidman, 2007: 3D aerosol-cloud radiative interaction observed in collocated MODIS and ASTER images of cumulus cloud fields. *J. Geophys. Res.*, **112**, doi: 10.1029/2006JD008267, 2007.
- Zhao, G. Y., and L. Di Girolamo, 2007: Statistics on the macrophysical properties of trade wind cumuli over the tropical western Atlantic. *J. Geophys. Res.*, **112**, D10204, doi:10.1029/2006JD007371.

Battaglia, A., C. Simmer, and H. Czekala, 2006: Three-dimensional effects in polarization signatures as observed from precipitating clouds by low frequency ground-based microwave radiometers. *Atmos. Phys. Chem.*, **6**, 4383-4394.

Bouet, C., F. Szczap, M. Leriche, and A. Benassi, 2006: What is the effect of cloud inhomogeneities on actinic fluxes and chemical species concentrations? *Geophys. Res. Lett.*, **33**, L01818, doi:10.1029/2005GL024727.

Brewer, J., and L. Di Girolamo, 2006: Limitations of fractal dimension estimation algorithms with implications for cloud studies. *Atmos. Res.*, **82** (1-2): 433-454.

Bugliaro, L., B. Mayer, R. Meerkotter, and J. Verdebout, 2006: Potential and limitations of space-based methods for the retrieval of surface UV-B daily doses: A numerical study. *J. Geophys. Res.*, **111** D23207, doi:10.1029/2005JD006534.

Chen, Y., K. N. Liou, 2006: A Monte Carlo method for 3D thermal infrared radiative transfer. *J. Quant. Spectr. Rad. Transf.*, **101**, 166-178.

Chiu, J. C., A. Marshak, Y. Knyazikhin, W. J. Wiscombe, H. W. Barker, J. C. Barnard, and Y. Luo, 2006: Remote sensing of cloud properties using ground-based measurements of zenith radiance. *J. Geophys. Res.*, **111**, D16201, doi:10.1029/2005JD006843.

Evans, K. F., D. O'Connor, P. Zmarzly, and R. P. Lawson, 2006: In situ cloud sensing with multiple scattering lidar: Design and validation of an airborne sensor. *J. Atmos. Oceanic Tech.*, **23**, 1068-1081.

Ferlay, N., and H. Isaka, 2006: Multiresolution analysis of radiative transfer through inhomogeneous media. Part I: Theoretical development. *J. Atmos. Sci.*, **63**, 1200-1212.

Ferlay, N., and H. Isaka, 2006: Multiresolution analysis of radiative transfer through inhomogeneous media. Part II: Validation and new insights. *J. Atmos. Sci.*, **63**, 1213-1230.

Girodo, M., R. W. Mueller, D. Heinemann, 2006: Influence of three-dimensional cloud effects on satellite derived solar irradiance estimation - First approaches to improve the Heliosat method. *Solar Energy*, **80**, 1145-1159.

Gu, Y., and K. N. Liou, 2006: Cirrus cloud horizontal and vertical inhomogeneity effects in a GCM. *Meteor. Atmos. Phys.*, **91**, 223-235.

Iwabuchi, H., 2006: Efficient Monte Carlo methods for radiative transfer modeling. *J. Atmos. Sci.*, **63**, 2324-2339.

Liou, K. N., S. C. Ou, Y. Takano, and J. Cetola, 2006: Remote sensing of three-dimensional cirrus clouds from satellites: application to continuous-wave laser atmospheric transmission and backscattering. *Applied Optics*, **45**, 6849-6859.

Kato, S., A. Cheng, and L. M. Hinkelman, 2006: Effect of satellite-derived cloud property errors in computing domain-averaged irradiances with a 1D radiative transfer model. *J. Geophys. Res.*, **111**, D17201, doi:10.1029/2005JD006668.

Marshak, A., S. Platnick, T. Várnai, G. Wen, and R. F. Cahalan, 2006: Impact of 3D radiative effects on satellite retrievals of cloud droplet sizes. *J. Geophys. Res.* **111**, D09207, doi:10.1029/2005JD006686.

- Mishchenko, M. I., 2006: Radiative transfer in clouds with small-scale inhomogeneities: Microphysical approach. *Geophys. Res. Lett.*, **33**, L14820, doi:10.1029/2006GL026312.
- Oreopoulos, L., A. Marshak, R. F. Cahalan, T. Várnai, A. B. Davis, and A. Macke, 2006: New directions in the radiative transfer of cloudy atmospheres. *EOS*, **87**, No. 5, 52.
- Qiu, J. H., 2006: Cloud optical thickness retrievals from ground-based pyranometer measurements. *J. Geophys. Res.*, **111**, D22206, doi:10.1029/2005JD006792.
- Seo, E. K., and G. Liu, 2006: Determination of 3D cloud ice water contents by combining multiple data sources from satellite, ground radar, and a numerical model. *J. Appl. Meteor. Climatology*, **45**, 1494-1504.
- Scholl, T., K. Pfeilsticker, A. B. Davis, H. Klein Baltink, S. Crewell, U. Lohmert, C. Simmer, J. Meywerk, and M. Quante, 2006: Path length distributions for solar photons under cloudy skies: Comparison of measured first and second moments with predictions from classical and anomalous diffusion theories. *J. Geophys. Res.*, **111**, D12211, doi:10.1029/2004JD005707.
- Seiz, G., and R. Davies, 2006: Reconstruction of cloud geometry from multi-view satellite images. *Remote Sens. Environ.*, **100**, 143-149.
- Venema, V., S. Meyer, S. G. Garcia, A. Kniffka, C. Simmer, S. Crewell, U. Lohmert, T. Trautmann, and A. Macke, 2006: Surrogate cloud fields generated with the Iterative Amplitude Adapted Fourier Transform algorithm. *Tellus A*, **58A**, 104-120.
- Venema, V., F. Ament, and C. Simmer, 2006: A Stochastic Iterative Amplitude Adjusted Fourier Transform Algorithm with improved accuracy. *Nonlinear Processes in Geophysics*, **13**, 247-363.
- Venema, V., S. Bachner, H. Rust, and C. Simmer, 2006: Statistical characteristics of surrogate data based on geophysical measurements. *Nonlinear Processes in Geophysics*, **13**, 449-466.
- Wen, G., A. Marshak, and R. F. Cahalan, 2006: Impact of 3D clouds on clear sky reflectance and aerosol retrieval in a biomass burning region of Brazil. *IEEE Geo. Rem. Sens. Lett.*, **3**, 169-172.
- Wood, R., and D. L. Hartmann, 2006: Spatial variability of liquid water path in marine low cloud: The importance of mesoscale cellular convection. *J. Climate*, **19**, 1748-1764.
- Zinner T., B. Mayer, and M. Schroder, 2006: Determination of three-dimensional cloud structures from high-resolution radiance data. *J. Geophys. Res.*, **111**, D08204, 10.1029/2005JD006062.
- Zinner T., and B. Mayer, 2006: Remote sensing of stratocumulus clouds: Uncertainties and biases due to inhomogeneity. *J. Geophys. Res.*, **111**, D14209, doi:10.1029/2005JD006955.

2005

- Battaglia, A., and S. Mantovani, 2005: Forward Monte Carlo computations of fully polarized microwave radiation in non-isotropic media. *J. Quant. Spectrosc. Rad. Transf.*, **95**, 285-308.
- Buriez, J.-C., F. Parol, C. Cornet, M. Doutriaux-Boucher, 2005: An improved derivation of the top-of-atmosphere albedo from POLDER/ADEOS-2: Narrowband albedos. *J. Geophys. Res.*, **110**, D05202.
- Cahalan, R. F., L. Oreopoulos, A. Marshak, K. F. Evans, A. B. Davis, R. Pincus, K. Yetzer, B. Mayer, R. Davies, T. Ackerman, H. Barker, E. Clothiaux, R. Ellingson, M. Garay, E. Kassianov, S. Kinne, A. Macke, W. OHirok, P. Partain, S. Prigarin, A. Rublev, G. Stephens, F. Szczap, E. Takara, T. Várnai, G. Wen, and T. Zhuravleva, 2005: The International Intercomparison of 3D Radiation Codes (I3RC): Bringing together the

most advanced radiative transfer tools for cloudy atmospheres. *Bull. Amer. Meteor. Soc.*, **86** (9), 1275-1293.

Cahalan, R. F., M. McGill, J. Kolasinski, T. Várnai, and K. Yetzer, 2005: THOR — Cloud Thickness from Offbeam Lidar Returns. *J. Atmos. Ocean. Tech.*, **22** (6), 605-627.

Cole, J. N. S., H. W. Barker, W. O'Hirok, E. E. Clothiaux, M. F. Khairoutdinov, and D. A. Randall, 2005: Atmospheric radiative transfer through global arrays of 2D clouds. *Geophys. Res. Lett.*, **32**, L19817, doi:10.1029/2005GL023329.

Cornet, C., J.-C. Buriez, J. Riedi, H. Isaka, B. Guillemet, 2005: Case study of inhomogeneous cloud parameter retrieval from MODIS data, *Geophys. Res. Lett.*, **32**, L13807, doi:10.1029/2005GL022791.

Davis, C. P., C. Emde, and R. S. Harwood, 2005: A 3D polarized reversed Monte Carlo radiative transfer model for mm and sub-mm passive remote sensing in cloudy atmospheres. *IEEE Trans. on Geosci. Remote Sens.*, MicroRad'04 Special Issue, **43** (5), 1096-1101.

Davis, C. P., D. L. Wu, C. Emde, J. H. Jiang, R. E. Cofield, and R. S. Harwood, 2005: Cirrus Induced Polarization in 122 GHz Aura Microwave Limb Sounder Radiances. *Geophys. Res. Lett.*, **32**, L14806, doi:10.1029/2005GL022681.

Di Giuseppe, F., and A. M. Tompkins, 2005: Impact of cloud cover on solar radiative biases in deep convective regimes. *J. Atmos. Sci.*, **62**, 1989-2000.

Di Giuseppe, F., 2005: Sensitivity of one-dimensional radiative biases to vertical cloud-structure assumptions: Validation with aircraft data. *Q. J. Royal Meteor. Soc.*, **131**, 1655-1676.

Hinkelman, L. M., B. Stevens, and K. F. Evans, 2005: A large-eddy simulation study of anisotropy in fair-weather cumulus cloud fields. *J. Atmos. Sci.*, **62**, 2155-2171.

Hogan, R. J., and S. F. Kew, 2005: A 3D stochastic cloud model for investigating the radiative properties of inhomogeneous cirrus clouds. *Q. J. R. Meteorol. Soc.*, **131**, 2585-2608.

Polonsky, I.N., S.P. Love, and A. B. Davis, 2005: The Wide-Angle Imaging Lidar (WAIL) deployment at the ARM Southern Great Plains site: Intercomparison of cloud property retrievals, *J. Atmos. and Oceanic Technol.*, **22**, 628-648.

Kassianov, E., C. N. Long, M. Ovtchinnikov, 2005: Cloud sky cover versus cloud fraction: Whole-sky simulations and observations. *J. Appl. Meteor.*, **44**, 86-98.

Kassianov, E., T. Ackerman, P. Kollias, 2005: The role of cloud-scale resolution on radiative properties of oceanic cumulus clouds. *J. Quant. Spect. & Rad. Transf.*, **91**, 211-226.

Knyazikhin, Yu., A. Marshak, M. Larsen, W. Wiscombe, J. Martonchik, and R. Myneni, 2005: Small-scale drop size variability: Impact on estimation of cloud optical properties. *J. Atmos. Sci.*, **62**, 2555-2567.

Kokhanovsky, A. A., 2005: Statistical properties of light reflected and transmitted by a thick horizontally inhomogeneous turbid layer. *J. Opt. Soc. Amer. A*, **22**, 2419-2423.

Marshak, A., Yu. Knyazikhin, M. L. Larsen, and W. J. Wiscombe, 2005: Small-scale drop size variability: Empirical models for drop-size-dependent clustering in clouds. *J. Atmos. Sci.*, **62**, 551-558.

Nikolaeva, O. V., L. P. Bass, T. A. Germogenova, A. A. Kokhanovsky, T. S. Kuznetsov, B. Mayer, 2005: The influence of neighboring clouds on the clear sky reflectance studied with the 3-D transport code RADUGA. *J. Quant. Spectr. & Rad. Transfer.*, **94**, 405-424.

O'Hirok, W., and C. Gauthier, 2005: The impact of model resolution on differences between independent column approximation and Monte Carlo estimates of shortwave surface irradiance and atmospheric heating rate. *J. Atmos. Sci.*, **62**, 2939-2951.

Pincus, R., C. Hannay, and K. F. Evans, 2005: The accuracy of determining three-dimensional radiative transfer effects in cumulus clouds using ground-based profiling instruments. *J. Atmos. Sci.*, **62**, 2284-2293.

Polonsky, I. N., S. P. Love, and A. B. Davis, 2005: Wide-Angle Imaging Lidar deployment at the ARM Southern Great Plains site: Intercomparison of cloud property retrievals. *J. Atmos. Ocean Tech.*, **22**, 628-648.

Prigarin, S. M., and A. Marshak, 2005: Numerical model of broken clouds adapted to observations. *Atmospheric and Oceanic Optics*, **18**, 236-242.

Schlimme, I., A. Macke, J. Reichardt, 2005: The impact of ice crystal shapes, size distributions, and spatial structures of cirrus clouds on solar radiative fluxes. *J. Atmos. Sci.*, **62**, 2274-2283.

Wyser, K., W. O'Hirok, and C. Gauthier, 2005: A simple method for removing 3-D radiative effects in satellite retrievals of surface irradiance. *Remote Sens. Environ.*, **94**, 335-342.

2004

Barker, H. W., C. F. Pavloski, M. Ovtchinnikov, E. E. Clothiaux, 2004: Assessing a cloud optical depth retrieval algorithm with model-generated data and the frozen turbulence assumption. *J. Atmos. Sci.*, **61**, 2951-2956.

Benassi, A., F. Szczap, A. B. Davis, M. Masbou, C. Cornet, and P. Bleuyard, 2004: Thermal radiative fluxes through inhomogeneous cloud fields: A sensitivity study using a new stochastic cloud generator. *Atmos. Res.*, **72**, 291-315.

Chiu, J. C., A. Marshak and W. J. Wiscombe, 2004: The effect of surface albedo inhomogeneity on cloud absorption estimates. *Geophys. Res. Lett.*, **31**, L15105, doi:10.1029/2004GL020104.

Chylek, P., C. Borel, A. B. Davis, J. Augustine, and G. Hodges, 2004: Effect of broken clouds on satellite based columnar water vapor retrieval. *IEEE Geosc. and Remote Sens. Lett.*, **1**, 175-178.

Cornet, C., H. Isaka, B. Guillemet, and F. Szczap, 2004 : Neural network retrieval of cloud parameters of inhomogeneous clouds from multispectral and multiscale radiance data: Feasibility study. *J. Geophys. Res.*, **109**, D12203, DOI 10.1029/2003JD004186.

Crewell, S., C. Simmer, U. Lohmert, V. Venema, A. Feijt, E. van Meijgaard, A. van Lammeren, H. Bloemink, D. Jolivet, M. Wendisch, S. Schmidt, M. Schroder, U. Willen, M. Quante, J. Meywerk, O. A. Krasnov, T. Trautmann, S. G. Garcia, K. Pfeilsticker, and T. Scholl, 2004: The BALTEX Bridge Campaign An integrated approach for a better understanding of clouds. *Bull. Amer. Meteor. Soc.*, **85** (10), 1565-1584, doi: 10.1175/BAMS-85-10-1565.

Davis, A. B., and A. Marshak, 2004: Photon propagation in heterogeneous optical media with spatial correlations: Enhanced mean-free-paths and wider-than-exponential free-path distributions. *J. Quant. Spectr. Rad. Trans.*, **84**, 3-34.

Evans, K. F., and W. J. Wiscombe, 2004: An algorithm for generating stochastic cloud fields from radar profile statistics. *Atmos. Res.*, **72**, 263-289.

Garay, M. J., R. Davies, C. Averill, and J. A. Westphal, 2004: Overlooked examples of cloud self-organization at the mesoscale. *Bull. Amer. Meteor. Soc.*, **85**, 1585-1594.

Horváth, Á., and R. Davies, 2004: Anisotropy of water cloud reflectance: A comparison of measurements and 1D theory. *Geophys. Res. Lett.*, **31**, L01102, doi:10.1029/2003GL018386.

Polonsky, I.N. and A.B. Davis, 2004: Lateral photon transport in dense scattering and weakly-absorbing media of finite thickness: Asymptotic analysis of the space-time Green function. *J. Opt. Soc. Am. A*, **21**, 1018-1025.

Marchand, R. and T. Ackerman, 2004: Evaluation of radiometric measurements from the NASA Multiangle Imaging Spectroradiometer (MISR): Two- and three-dimensional radiative transfer modeling of an inhomogeneous stratocumulus cloud deck. *J. Geophys. Res.*, **109**, D18208, 2004.

Marshak, A., Yu. Knyazikhin, K. Evans, and W. Wiscombe, 2004: The "RED versus NIR" plane to retrieve broken-cloud optical depth from ground-based measurements. *J. Atmos. Sci.*, **61**, 1911-1925.

Polonsky, I. N., and A. B. Davis, 2004: Lateral photon transport in dense scattering and weakly-absorbing media of finite thickness: Asymptotic analysis of the space-time Green function, *J. Opt. Soc. Am. A*, **21**, 1018-1025.

2003

Barker, H. W., R. K. Goldstein, D. E. Stevens, 2003: Monte Carlo simulation of solar reflectances for cloudy atmospheres. *J. Atmos. Sci.*, **60**, 1881-1894.

Box, M. A., I. N. Polonsky, and A. B. Davis, 2003: Higher-order perturbation theory applied to radiative transfer in non-plane-parallel media. *J. Quant. Spectrosc. Rad. Transf.*, **78**, 105-118.

Di Girolamo, L., 2003: Generalizing the definition of the bi-directional reflectance distribution function (BRDF). *Remote Sens. Environ.*, **88**, 479-482.

Di Giuseppe, F., and A. M. Tompkins, 2003: Effect of spatial organisation on solar radiative transfer in three dimensional idealised stratocumulus cloud fields. *J. Atmos. Sci.*, **60**, 1774-1794.

Di Giuseppe, F., and A. M. Tompkins, 2003: Three dimensional radiative transfer in tropical deep convective clouds. *J. Geophys. Res.*, **108**, 10.1029/2003JD003392.

Evans, K. F., R. P. Lawson, P. Zmarzly, D. O'Connor, and W. J. Wiscombe, 2003: In situ cloud sensing with multiple scattering lidar: Simulations and demonstration. *J. Atmos. Ocean. Tech.*, **20**, 1505-1522.

Genkova, I., and R. Davies, 2003: Spatial heterogeneity of reflected radiance from globally distributed clouds. *Geophys. Res. Lett.*, **30**, 2096, 2003.

Hogan, R. J., and A. J. Illingworth, 2003: Parameterizing ice cloud inhomogeneity and the overlap of inhomogeneities using cloud radar data. *J. Atmos. Sci.*, **60**, 756-767.

Ivanova, K., T. Ackerman, E. Clothiaux, P. Ivanov, H. Stanley, M. Ausloos, 2003: Time correlations and 1/f behavior in backscattering radar reflectivity measurements from cirrus cloud ice fluctuations. *J. Geophys. Res.*, **108**, 4268, 2003.

Iwabuchi, H., and T. Hayasaka, 2003: A multi-spectral non-local method for retrieval of boundary layer cloud properties from optical remote sensing data. *Remote Sens. Environ.*, **88**, 294-308.

Kassianov, E., T. Ackerman, R. Marchand, M. Ovtchinnikov, 2003: Stochastic radiative transfer in multilayer broken clouds. Part II: validation tests. *J. Quant. Spect. & Rad. Transf.*, **77**, 395-416, 2003.

- Kassianov, E., T. Ackerman, R. Marchand, M. Ovtchinnikov, 2003: Satellite multiangle cumulus geometry retrieval: Case study. *J. Geophys. Res.*, **108**, doi: 10.1029/2002JD002350.
- Kokhanovsky, A. A., 2003: The influence of horizontal inhomogeneity on radiative characteristics of clouds: An asymptotic case study. *IEEE Trans. Geosci. Remote Sens.*, **41**, 817-825.
- Kotchenova, S. Y., N. V. Shabanov, Yu. Knyazikhin, A. B. Davis, R. Dubayah, and R. B. Myneni, 2003: Modeling lidar waveforms with time-dependent stochastic radiative transfer theory for remote estimations of forest biomass, *J. Geophys. Res.*, **108**, 4484, doi:1029/2002JD003288.
- Neggers, R. A. J., H. J. J. Jonker, A. P. Siebesma, 2003: Size statistics of cumulus cloud populations in large-eddy simulations. *J. Atmos. Sci.*, **60**, 1060-1074.
- O'Hirok, W., and C. Gauthier, 2003: Absorption of shortwave radiation in a cloudy atmosphere: Observed and theoretical estimates during the second Atmospheric Radiation Measurement Enhanced Shortwave Experiment (ARESE). *J. Geophys. Res.*, **108**, 4412.
- Oreopoulos, L., A. Marshak, and R. F. Cahalan, 2003: Consistency of ARESE II cloud absorption estimates and sampling issues. *J. Geophys. Res.*, **108** (D1), 4029, doi: 10.1029/2002JD002243.
- Petty., G.W., 2003: Corrigendum. *J. Atmos. Sci.*, **60**, 689-689.
- Podgorny I. A., 2003: Three-dimensional radiative interactions in a polluted broken cloud system. *Geophys. Res. Lett.*, **30**, doi:10.1029/2003GL017287.
- Polonsky, I. N., M. A. Box, and A. B. Davis, 2003: Radiative transfer through inhomogeneous turbid media: Implementation of the adjoint perturbation approach at the first order. *J. Quant. Spectr. Rad. Transf.*, **78**, 85-98.
- Raisanen, P., G. A. Isaac, H. W. Barker, I. Gultepe, 2003: Solar radiative transfer for stratiform clouds with horizontal variations in liquid-water path and droplet effective radius. *Q. J. R. Meteor. Soc.*, **129**, 2135-2149.
- Scheirer, R., and A. Macke, 2003: Cloud inhomogeneity and broadband solar fluxes. *J. Geophys. Res.*, **108**, 4599.
- Schewski, M., and A. Macke, 2003: Correlation between domain averaged cloud properties, and solar radiative fluxes for three-dimensional inhomogeneous mixed phase clouds. *Meteorologische Zeitschrift*, **12**, 293-299.
- Schroeder, M., and R. Bennartz, 2003: Impact of gas absorption and surface albedo on cloud radiative smoothing. *Geophys. Res. Lett.*, **30**, 1168.
- Tompkins, A. M., and F. Di Giuseppe, 2003: Solar radiative biases in deep convective regimes: Possible implications for dynamical feedback. *Q. J. Royal Meteor. Soc.*, **129**, 1721-1730.
- Várnai, T., and A. Marshak, 2003: A method for analyzing how various parts of clouds influence each other's brightness. *J. Geophys. Res.*, **108** (D22), 4706, doi: 10.1029/2003JD003561.
- Zuidema, P., R. Davies, and C. Moroney, 2003: On the angular radiance closure of tropical cumulus congestus clouds observed by the Multiangle Imaging Spectroradiometer. *J. Geophys. Res.*, **108**, doi:10.1029/2003JD003401.

- Barker, H., A. Marshak, W. Szyrmer, A. Trishchenko, and J. Blanchet, 2002: Inference of cloud optical properties from aircraft-based solar radiometric measurements. *J. Atmos. Sci.*, **59**, 2093-2111.
- Borovoi, A., 2002: On the extinction of radiation by a homogeneous but spatially correlated random medium: Comment. *Opt. Soc. Amer. A*, **19** (12), 2517-2520.
- Davis, A. B., and A. Marshak, 2002: Space-time characteristics of light transmitted through dense clouds: A Green Function Analysis. *J. Atmos. Sci.*, **59**, 2713-2727.
- Davis, A. B., S. P. Love, R. F. Cahalan, and M. J. McGill, 2002: Off-beam lidar senses cloud thickness and density. *Laser Focus World*, October Issue, **38**, 101-103.
- Di Girolamo, L., 2002: Reciprocity principle for radiative transfer models that use periodic boundary conditions. *J. Quant. Spectrosc. Radiative Trans.*, **73**, 23-27.
- Faure, T., H. Isaka, and B. Guillemet, 2002: Neural network retrieval of cloud parameters from high-resolution multispectral radiometric data - A feasibility study. *Remote Sens. Environ.*, **80**, 285-296.
- Iwabuchi, H., and T. Hayasaka, 2002: Effects of cloud horizontal inhomogeneity on the optical thickness retrieved from moderate-resolution satellite data. *J. Atmos. Sci.*, **59**, 2227-2242.
- Kassianov, E., and Y. L. Kogan, 2002: Spectral dependence of radiative horizontal transport in stratocumulus clouds and its effect on near-IR absorption. *J. Geophys. Res.*, **107**, 4712.
- Knyazikhin, Y., A. Marshak, W. Wiscombe, J. Martonchick, and R. Myneni, 2002: A missing solution to the transport equation and its effect on estimation of cloud absorptive properties. *J. Atmos. Sci.*, **59**, 3572-3585.
- Kostinski, A. B., 2002: On the extinction of radiation by a homogeneous but spatially correlated random medium: Reply to comment. *Opt. Soc. Amer. A*, **19** (12), 2521-2525.
- Lane, D. E., K. Goris, and R. C. J. Somerville, 2002: Radiative transfer through broken clouds: Observations and model validation. *J. Climate*, **15**, 2921-2933.
- Lubin, D., P. Ricchiuzzi, A. Payton, and C. Gautier, 2002: Significance of multidimensional radiative transfer effects measured in surface fluxes at an Antarctic coastline. *J. Geophys. Res.*, **107**, 4387, doi:10.1029/2001JD002030.
- Petty, G. W., 2002: Area-average solar radiative transfer in three-dimensionally inhomogeneous clouds: The independently scattering cloudlet model. *J. Atmos. Sci.*, **59**, 2910-2929.
- Rossow, W. B., C. Delo, and B. Cairns, 2002: Implications of the Observed Mesoscale Variations of Clouds for the Earth's Radiation Budget. *J. Climate*, **15**, 557-585.
- Rozwadowska, A., and R. F. Cahalan, 2002: Plane-parallel biases computed from inhomogeneous clouds and sea ice. *J. Geophys. Res. (Atmos.)*, **107**, 4384-4401.
- Sachs, D., S. Lovejoy, D. Schertzer, 2002: The multifractal scaling of cloud radiances from 1m to 1km. *Fractals*, **10**, 253-265.
- von Savigny, C., A. B. Davis, O. Funk, and K. Pfeilsticker, 2002: Time-series of zenith radiance and surface flux under cloudy skies: Radiative smoothing, optical thickness retrievals and large-scale stationarity. *Geophys. Res. Lett.*, **29**, 1825-1828.
- Schumann, U., A. Dornbrack, and B. Mayer, 2002: Cloud-shadow effects on the structure of the convective boundary layer. *Meteorologische Zeitschrift*, **11**, 285-294, 2002.

Várnai, T., and A. Marshak, 2002: Observations of three-dimensional radiative effects that influence MODIS cloud optical thickness retrievals. *J. Atmos. Sci.*, **59**, 1607-1618.

Várnai, T., and A. Marshak, 2002: Observations of three-dimensional radiative effects that influence satellite retrievals of cloud properties. *Quart. J. of Hungarian Meteor. Service (Időjárás)*, **106**, 265-278.

Wyser, K., W. O'Hirok, and C. Gauthier, 2002: Remote sensing of surface solar irradiance with corrections for 3-D cloud effects. *Remote Sens. Environ.*, **80**, 272-284.

2001

Balsara, D., 2001: Fast and accurate discrete ordinates methods for multidimensional radiative transfer. Part I: Basic methods. *J. Quant. Spectr. Radiat. Trans.*, **69**, 671-707.

Barker, H., and A. Marshak, 2001: Inferring optical depth of broken clouds above green vegetation using surface solar radiometric measurements. *J. Atmos. Sci.*, **58**, 2989-3006.

Benner, T. C., and K. F. Evans, 2001: Three-dimensional solar radiative transfer in small tropical cumulus fields derived from high-resolution imagery. *J. Geophys. Res.*, **106**, 14975-14984.

Buriez, J.-C., M. Doutriaux-Boucher, F. Parol, and N. G. Loeb, 2001: Angular variability of the liquid water cloud optical thickness retrieved from ADEOS-POLDER. *J. Atmos. Sci.*, **58**, 3007-3018.

Cahalan, R. F., L. Oreopoulos, G. Wen, A. Marshak, S. C. Tsay, and T. P. DeFelice, 2001: Cloud characterization and clear sky correction from Landsat 7. *Remote Sens. Environ.*, **78**, 83-98.

Chambers, L. H., B. A. Wielicki, and N. G. Loeb, 2001: Shortwave flux from satellite-measured radiance: A theoretical study over marine boundary layer clouds. *J. Applied Meteor.*, **40**, 2144-2161.

Davis, A. B., and A. Marshak, 2001: Multiple scattering in clouds: Insights from three-dimensional diffusion/P 1 theory. *Nucl. Sci. Eng.*, **137**, 251-280.

Faure, T., H. Isaka, and B. Guillemet, 2001: Neural network retrieval of cloud parameters of inhomogeneous and fractional clouds: Feasibility study. *Remote Sens. Environ.*, **77**, 123-138.

Faure, T., H. Isaka, and B. Guillemet, 2001: Neural network analysis of the radiative interaction between neighboring pixels in inhomogeneous clouds. *J. Geophys. Res.*, **106**, 14465-14484.

Faure, T., H. Isaka, and B. Guillemet, 2001: Mapping neural network computation of high-resolution radiant fluxes of inhomogeneous clouds. *J. Geophys. Res.*, **106**, 14961-14973.

Kostinski, A. B., 2001: On the extinction of radiation by a homogeneous but spatially correlated random medium. *Opt. Soc. Amer. A*, **18** (8), 1929-1933.

Krim, M. S. A., 2001: Stochastic radiative transfer in finite plane for Rayleigh scattering phase function. *J. Quant. Spectr. Radiat. Transf.*, **69**, 745-759.

Kylling, A., B. Mayer, 2001: Ultraviolet radiation in partly snow-covered terrain: Observations and three-dimensional simulations. *Geophys. Res. Lett.*, **28**, 3665-3668.

Larson, V. E., R. Wood, P. R. Field, J.-C. Golaz, T. H. Vonder Haar, and W. R. Cotton, 2001: Small-scale and mesoscale variability of scalars in cloudy boundary layers: One-dimensional probability density functions. *J. Atmos. Sci.*, **58**, 1978-1994.

Los, A., M. van Weele, and P. Duynkerke, 2001: Parameterization of solar radiation in inhomogeneous stratocumulus: Albedo bias. *Q. J. R. Meteor. Soc.*, **127**, 1593-1614.

Love, S. P., A. B. Davis, C. Ho, and C. A. Rohde, 2001: Remote sensing of cloud thickness and liquid water content with Wide-Angle Imaging Lidar. *Atmos. Res.*, **59**, 295-312.

Masunaga, H., and T. Nakajima, 2001: The effective cloud fraction of broken clouds obtained by multistream radiative transfer. Part I: Longwave radiation. *J. Atmos. Sci.*, **58**, 2455-2467.

Meerkotter, R., and M. Degunther, 2001: A radiative transfer case study for 3-d cloud effects in the UV. *Geophys. Res. Lett.*, **28** (9), 1683-1686.

Scheirer, R., and A. Macke, 2001: On the accuracy of the independent column approximation in calculating the downward fluxes in the UVA, UVB, and PAR spectral ranges. *J. Geophys. Res.*, **106**, 14301-14312.

Várnai, T., and A. Marshak, 2001: Statistical analysis of the uncertainties in cloud optical depth retrievals caused by three-dimensional radiative effects. *J. Atmos. Sci.*, **58**, 1540-1548.

Wen, G., R. F. Cahalan, T.-S. Tsay, and L. Oreopoulos, 2001: Impact of cumulus cloud spacing on Landsat atmospheric correction and aerosol retrieval. *J. Geophys. Res. (Atmos.)*, **106**, 12129-12138.

2000

Batey, M., Harshvardhan, and R. Green, 2000: Geometrically effective cloud fraction for solar radiation. *Atmos. Res.*, **55**, 115-129.

Boers, R., A. van Lammeren, and A. Feijt, 2000: Accuracy of Cloud Optical Depth Retrievals from Ground-Based Pyranometers. *J. Atmos. Ocean. Tech.*, **17**, 916-927.

Cairns, B., A. A. Lacis, and B. E. Carlson, 2000: Absorption within inhomogeneous clouds and its parameterization in general circulation models. *J. Atmos. Sci.*, **57**, 700-714.

Degunther, M., R. Meerkotter, 2000: Influence of inhomogeneous surface albedo on UV irradiance: Effect of a stratus cloud. *J. Geophys. Res.*, **105**, 22755-22761.

Fu, Q., M. C. Cribb, H. W. Barker, S. K. Krueger, and A. Grossman, 2000: Cloud geometry effects on atmospheric solar absorption. *J. Atmos. Sci.*, **57**, 1156-1168.

Galinsky, V. L., 2000: 3D radiative transfer in weakly inhomogeneous medium. Part II: Discrete ordinates method and effective algorithm for its inversion. *J. Atmos. Sci.*, **57**, 1635-1645.

Knyazikhin, Yu., and A. Marshak, 2000: Mathematical aspects of BRDF modeling: Adjoint problem and Greens function. *Remote Sens. Rev.*, **18**, 263-280.

Kostinski, A. B., A. R. Jameson, 2000: On the spatial distribution of cloud particles. *J. Atmos. Sci.*, **57**, 901-915.

Kuji, M., T. Hayasaka, N. Kikuchi, T. Nakajima, and M. Tanaka, 2000: The retrieval of effective particle radius and liquid water path of low-level marine clouds from NOAA AVHRR data. *J. Appl. Meteor.*, **39**, 999-1016.

Los, A., and P. Duynkerke, 2000: Microphysical and radiative properties of inhomogeneous stratocumulus: Observations and model simulations. *Q. J. R. Meteor. Soc.*, **126**, 3287-3307.

Marshak, A., Yu. Knyazikhin, A. B. Davis, W. J. Wiscombe, and P. Pilewskie, 2000: Cloud vegetation interaction: Use of Normalized Difference Cloud Index for estimation of cloud optical thickness. *Geophys. Res. Lett.*, **27**, 1695-1698.

O'Hirok, W., C. Gauthier, and P. Ricchiazzi, 2000: Spectral signature of column solar radiation absorption during the atmospheric radiation measurement enhanced shortwave experiment (ARESE). *J. Geophys. Res.*, **105**, 17471-17480.

Oreopoulos, L., R. Cahalan, A. Marshak, and G. Wen, 2000: A new normalized difference cloud retrieval technique applied to Landsat radiances over the Oklahoma ARM Site. *J. Appl. Meteor.*, **39**, 2305-2320.

Oreopoulos, L., A. Marshak, R. Cahalan, and G. Wen, 2000: Cloud three-dimensional effects evidenced in Landsat spatial power spectra and autocorrelation function. *J. Geophys. Res.*, **105**, 14777-14788.

Pertain, P.T., A. K. Heidinger, and G. L. Stephens, 2000: High spectral resolution atmospheric radiative transfer: Application of the equivalence theorem. *J. Geophys. Res.*, **105**, 2163-2177.

Scheirer, R., and A. Macke, 2000: Influence of the gaseous atmosphere on solar fluxes of inhomogeneous clouds. *Phys. & Chem. Earth B Hydrol. Oceans & Atmos.*, **25**, 73-76.

Siebesma, A. P., and H. J. J. Jonker, 2000: Anomalous scaling of cumulus cloud boundaries. *Phys. Rev. Lett.*, **85**, 214-217.

Szczap, F., H. Isaka, M. Saute, B. Guillemet, A. Ioltukhovski, 2000: Effective radiative properties of bounded cascade nonabsorbing clouds: Definition of the equivalent homogeneous cloud approximation. *J. Geophys. Res.*, **105**, 20617-20633.

Szczap, F., H. Isaka, M. Saute, B. Guillemet, A. Ioltukhovski, 2000: Effective radiative properties of bounded cascade absorbing clouds: Definition of an effective single-scattering albedo. *J. Geophys. Res.*, **105**, 20635-20648.

Szczap, F., H. Isaka, M. Saute, B. Guillemet, and Y. Gour, 2000: Inhomogeneity effects of 1D and 2D bounded cascade model clouds on their effective radiative properties. *Phys. Chem. Earth (B)*, **25** (2), 83-89.

Takara, E. E., and R. G. Ellingson, 2000: Broken cloud field longwave-scattering effects. *J. Atmos. Sci.*, **57**, 1298-1310.

Várnai, T., 2000: Influence of three-dimensional radiative effects on the spatial distribution of shortwave cloud reflection. *J. Atmos. Sci.*, **57**, 216-229.

1999

Barker, H. W., G. L. Stephens, and Q. Fu, 1999: The sensitivity of domain-averaged solar fluxes to assumptions about cloud geometry. *Q. J. R. Meteor. Soc.*, **125**, 2127-2152.

Davis, A. B., R. F. Cahalan, M. J. McGill, and S. P. Love, 1999: Offbeam Lidar: An emerging technique in cloud remote sensing based on radiative Green function theory in the diffusion domain. *Phys. Chem. Earth*, **B24**, 177-185. (Erratum 757-765).

Davis, A.B., A. Marshak, H. Gerber, and W.J. Wiscombe, 1999: Horizontal structure of marine boundary layer clouds from centimeter to kilometer scales, *J. Geophys. Res.*, **104**, 6123-6144.

Davis, A.B., A. Marshak, and E.E. Clothiaux, 1999: Anisotropic multi-resolution analysis in 2D, Application to long-range correlations in cloud mm-radar fields, in *S.P.I.E. Proceedings*, **3723**: "Wavelet Applications VI," H. H. Szu (Ed.), pp. 194-207.

Di Girolamo, L., 1999: A reciprocity principle applicable to reflected radiance measurements and the searchlight problem. *Appl. Opt.*, **38**, 3196-3198.

Golse, F., Shi Jin, C. D. Levermore, 1999: The Convergence of Numerical Transfer Schemes in Diffusive Regimes I: The Discrete-Ordinate Method. *SIAM Num. Anal.*, **36** (5), 1333-1369.

Lewis, G. M., S. Lovejoy, D. Schertzer, and S. Pecknold, 1999: The scale invariant generator technique for quantifying anisotropic scale invariance. *Computers & Geosciences*, **25** (9), 963-978.

Macke, A., D. L. Mitchell, and L. V. Bremen, 1999: Monte Carlo radiative transfer calculations for inhomogeneous mixed phase clouds. *Phys. & Chem. Earth B Hydrol. Oceans & Atmos.*, **24**, 237-241.

Marshak, A., L. Oreopoulos, A. B. Davis, W. J. Wiscombe, and R. F. Cahalan, 1999: Horizontal radiative fluxes in clouds and accuracy of the Independent Pixel Approximation at absorbing wavelengths. *Geophys. Res. Lett.*, **11**, 1585-1588.

Marshak, A., W. Wiscombe, A. Davis, L. Oreopoulos, and R. Cahalan, 1999: On the removal of the effect of horizontal fluxes in two-aircraft measurements of cloud absorption. *Quart. J. Roy. Meteor. Soc.*, **125**, 2153-2170.

Miller, S. D., and G. L. Stephens, 1999: Multiple scattering effects in the lidar pulse stretching problem. *J. Geophys. Res.*, **104**, 22205-22219.

Pfeilsticker, K., 1999: First geometrical path length probability density function derivation of the skylight from high-resolution oxygen A-band spectroscopy - 2. Derivation of the Levy index for the skylight transmitted by midlatitude clouds. *J. Geophys. Res.*, **104**, 4101-4116.

Pincus, R., S. A. McFarlane, and S. A. Klein, 1999: Albedo bias and the horizontal variability of clouds in subtropical marine boundary layers: Observations from ships and satellites. *J. Geophys. Res.*, **104**, 6183-6191.

von Savigny, C., O. Funk, U. Platt, K. Pfeilsticker, 1999: Radiative smoothing in zenith-scattered skylight transmitted through optically thick clouds to the ground. *Geophys. Res. Lett.*, **26**, 2949-2952.

Várnai, T., and R. Davies, 1999: Effects of cloud heterogeneities on shortwave radiation: Comparison of cloud top variability and internal heterogeneity. *J. Atmos. Sci.*, **56**, 4206-4224.

1998

Barker, H. W., J. J. Morcette, and G. D. Alexander, 1998: Broadband solar fluxes and heating rates for atmospheres with 3D broken clouds. *Q. J. R. Meteor. Soc.*, **124**, 1245-127.

Degunther, M., R. Meerkotter, A. Albold, G. Seckmeyer, 1998: Case study on the influence of inhomogeneous surface albedo on UV irradiance. *Geophys. Res. Lett.*, **25**, 3587-3590.

Descloitres, J., J. C. Buriez, F. Parol, Y. Fouquart, 1998: POLDER observations of cloud bidirectional reflectances compared to a plane-parallel model using the International Satellite Cloud Climatology Project cloud phase functions. *J. Geophys. Res.*, **103**, 11411-11418.

- Di Girolamo, L., T. Várnai, and R. Davies, 1998: Apparent breakdown of reciprocity in reflected solar radiances. *J. Geophys. Res.*, **103**, 8795-8803.
- Galinsky, V. L., and V. Ramanathan, 1998: 3D radiative transfer in weakly inhomogeneous medium. Part I: Diffusive approximation. *J. Atmos. Sci.*, **55**, 2946-2959.
- Evans, K. F., 1998: The spherical harmonics discrete ordinate method for three-dimensional atmospheric radiative transfer. *J. Atmos. Sci.*, **55**, 429-446.
- Loeb, N. G., and J. A. Coakley, 1998: Inference of marine stratus cloud optical depths from satellite measurements: Does 1D theory apply? *J. Climate*, **11**, 215-233.
- Loeb, N. G., T. Várnai, and D. M. Winker, 1998: Influence of sub-pixel scale cloud-top structure on reflectances from overcast stratiform cloud layers. *J. Atmos. Sci.*, **55**, 2960-2973.
- Marshak, A., A. Davis, R. Cahalan, and W. Wiscombe, 1998: Nonlocal Independent Pixel Approximation, direct and inverse problems. *IEEE Trans. Geosci. Remote Sens.*, **36**, 192-205.
- Marshak, A., A. Davis, W. Wiscombe, and R. Cahalan, 1998: Radiative effects of sub-mean-free-path liquid water variability observed in stratiform clouds. *J. Geophys. Res. (Atmos.)*, **103**, 19557-19567.
- Marshak, A., A. Davis, W. Wiscombe, W. Ridgway, and R. Cahalan, 1998: Biases in shortwave column absorption in the presence of fractal clouds. *J. Climate*, **11**, 431-446.
- O'Hirok, W., and C. Gauthier, 1998: A three-dimensional radiative transfer model to investigate the solar radiation within a cloudy atmosphere. Part II: Spectral effects. *J. Atmos. Sci.*, **55**, 3065-3076.
- O'Hirok, W., and C. Gauthier, 1998: A three-dimensional radiative transfer model to investigate the solar radiation within a cloudy atmosphere. Part I: Spatial effects. *J. Atmos. Sci.*, **55**, 2162-2179.
- Pfeilsticker, K., F. Erle, O. Funk, L. Marquard, T. Wagner, U. Platt, 1998: Optical path modifications due to tropospheric clouds: Implications for zenith sky measurements of stratospheric gases. *J. Geophys. Res.*, **103**, 25323-25335.
- Pfeilsticker, K., F. Erle, O. Funk, H. Veitel, U. Platt, 1998: First geometrical pathlengths probability density function derivation of the skylight from spectroscopically highly resolving oxygen A-band observations - 1. Measurement technique, atmospheric observations and model calculations. *J. Geophys. Res.*, **103**, 11483-11504.
- Titov, G. A., 1998: Radiative horizontal transport and absorption in stratocumulus clouds. *J. Atmos. Sci.*, **55**, 2549-2560.
- Zuidema, P., and K. F. Evans, 1998: On the validity of the independent pixel approximation for boundary layer clouds observed during ASTEX. *J. Geophys. Res.*, **103**, 6059-6074.

1997

- Barker, H. W., and B. A. Wielicki, 1997: Parameterizing grid-averaged longwave fluxes for inhomogeneous marine boundary layer clouds. *J. Atmos. Sci.*, **54**, 2785-2798.
- Chambers, L. H., B. A. Wielicki, and K. F. Evans, 1997: Accuracy of the independent pixel approximation for satellite estimates of oceanic boundary layer cloud optical depth. *J. Geophys. Res.*, **102**, 1779-1794.

Chambers, L. H., B. A. Wielicki, and K. F. Evans, 1997: Independent pixel and two-dimensional estimates of Landsat-derived cloud field albedo. *J. Atmos. Sci.*, **54**, 1525-1532.

Davis, A., A. Marshak, R. F. Cahalan, and W. J. Wiscombe, 1997: INTERACTIONS: Solar and laser beams in stratus clouds, fractals and multifractals in climate and remote sensing studies. *Fractals*, **5**, 129-166.

Davis, A., A. Marshak, R. F. Cahalan, and W. J. Wiscombe, 1997: The Landsat scale break in stratocumulus as a three-dimensional radiative transfer effect: Implications for cloud remote sensing. *J. Atmos. Sci.*, **54**, 241-260.

Geogdzhaev, I. V., T. V. Kondranin, A. N. Rublev, and N. E. Chubarova, 1997: UV radiation transfer through broken cloud fields: Modeling and comparison with measurements. *Izv. Akad. Nauk Fizika Atmos. I Okeana*, **33**, 680-686.

Guan, H., M. K. Yau, and R. Davies, 1997: The effects of longwave radiation in a small cumulus cloud. *J. Atmos. Sci.*, **54**, 2201-2214.

Kinne, S., T. P. Ackerman, M. Shiobara, A. Uchiyama, A. J. Heymsfield, L. Miloshevich, J. Wendell, E. W. Eloranta, C. Purgold, and R. W. Bergstrom, 1997: Cirrus cloud radiative and microphysical properties from ground observations and in situ measurements during FIRE 1991 and their application to exhibit problems in Cirrus solar radiative transfer modeling. *J. Atmos. Sci.*, **54**, 2320-2344.

Loeb, N. G., and R. Davies, 1997: Angular dependence of observed reflectances: A comparison with plane-parallel theory. *J. Geophys. Res.*, **102** (D6), 6865-6881.

Loeb, N. G., T. Várnai, and R. Davies, 1997: The effect of cloud inhomogeneities on the solar zenith angle dependence of nadir reflectance. *J. Geophys. Res.*, **102**, 9387-9395.

Los, A., M. van Weele, and P. Duynkerke, 1997: Actinic fluxes in broken cloud fields. *J. Geophys. Res.*, **102**, 4257-4266.

Marshak, A., A. Davis, W.J. Wiscombe, and R.F. Cahalan, 1997: Scale-invariance of liquid water distributions in marine stratocumulus, Part 2: Multifractal properties and intermittency issues, *J. Atmos. Sci.*, **54**, 1423-1444.

Marshak, A., A. Davis, W. Wiscombe, and R. Cahalan, 1997: Inhomogeneity effects on cloud shortwave absorption measurements: Two-aircraft simulations. *J. Geophys. Res.*, **102**, 16619-16637.

Schertzer, D., S. Lovejoy, F. Schmitt, Y. Chigirinskaya, D. Marsan, 1997: Multifractal cascade dynamics and turbulent intermittency. *Fractals*, **5**, 427-471.

Titov, G. A., T. B. Zhuravleva, and V. E. Zuev, 1997: Mean radiation fluxes in the near-IR spectral range: Algorithms for calculation. *J. Geophys. Res.*, **102**, 1819-1832.

1996

Antyufeev, V. S., 1996: Solution of the generalized transport equation with a peak-shaped indicatrix by the Monte Carlo method. *Russ. J. Numer. Anal. Math. Modelling*, **11** (2), 113-137.

Barker, H. W., 1996: Estimating cloud field albedo using one-dimensional series of optical depth. *J. Atmos. Sci.*, **53**, 2826-2837.

Davis, A., A. Marshak, W.J. Wiscombe, and R.F. Cahalan, 1996: Scale-invariance of liquid water distributions in marine stratocumulus, Part 1: Spectral properties and stationarity issues, *J. Atmos. Sci.*, **53**, 1538-1558.

Davis, A., A. Marshak, W.J. Wiscombe, and R.F. Cahalan, 1996: Multifractal characterizations of intermittent and nonstationary geophysical signals - A model-based perspective on ergodicity issues illustrated with cloud data, in *Current Topics in Nonstationary Analysis*, G. Treviño, J. Hardin, B. Douglas, and E. Andreas (Eds.), World Scientific, Singapore, pp. 97-158.

Duda, D. P., G. L. Stephens, B. Stevens, and R. W. Cotton, 1996: Effects of aerosol and horizontal inhomogeneity on the broadband albedo of marine stratus: Numerical simulations. *J. Atmos. Sci.*, **53**, 3757-3769.

Gabriel, P., and K. F. Evans, 1996: Simple radiative transfer methods for calculating domain-averaged solar fluxes in inhomogeneous clouds. *J. Atmos. Sci.*, **53**, 858-877.

Haferman, J. L., E. N. Anagnostou, D. Tsintikidis, W. F. Krajewski, T. F. Smith, 1996: Physically based retrieval of precipitation using a 3D passive microwave radiative transfer model. *J. Atmos. Ocean. Tech.*, **13**, 832-850.

Heidinger, A. K., and S. K. Cox, 1996: Finite-cloud effects in longwave radiative transfer. *J. Atmos. Sci.*, **53**, 953-963.

Hignett, P., and J. P. Taylor, 1996: The radiative properties of inhomogeneous boundary layer cloud: Observations and modelling. *Q. J. R. Meteor. Soc.*, **122**, 1341-1364.

Jin, Shih, D. Levermore, 1996: Numerical Schemes for Hyperbolic Conservation Laws with Stiff Relaxation Terms. *J. Comp. Phys.*, **126**, 449-467.

Liou, K. N., and N. Rao, 1996: Radiative transfer in cirrus clouds. Part IV: On cloud geometry, inhomogeneity, and absorption. *J. Atmos. Sci.*, **53**, 3046-3064.

Liu, Q., C. Simmer, and E. Ruprecht, 1996: Three-dimensional radiative effects of clouds in the microwave spectral range. *J. Geophys. Res.*, **101**, 4289-4298.

Loeb, N. G., and R. Davies, 1996: Observational evidence of plane-parallel model biases: Apparent dependence of cloud optical depth on solar zenith angle. *J. Geophys. Res.*, **101** (D1), 1621-1634.

Pomraning, G. C., 1996: Effective radiative properties for partially cloudy atmospheres. *Atmos. Oceanic Opt.*, **9** (1), 7-16.

Prigarin, S. M., and G. A. Titov, 1996: Spectral methods for numerical modeling of geophysical fields. *Atmos. Oceanic Opt.*, **9** (7), 629-634.

Takara, E. E., and R. G. Ellingson, 1996: Scattering effects on longwave fluxes in broken cloud fields. *J. Atmos. Sci.*, **53**, 1464-1476.

Titov, G. A., 1996: Radiation effects of inhomogeneous stratocumulus clouds: 2. Absorption. *Atmos. Oceanic Opt.*, **9** (10), 833-838.

Tsay, S.-C., P. M. Gabriel, M. D. King, and G. L. Stephens, 1996: Spectral reflectance and atmospheric energetics in cirrus-like clouds. Part II: Applications of a Fourier-Ricatti approach to radiative transfer. *J. Atmos. Sci.*, **53**, 3450-3467.

1995

Barker, H. W., 1995: A spectral analysis of albedo and bidirectional reflectances for inhomogeneous clouds. *Remote Sens. Environ.*, **54**, 113-120.

- Barker, H. W., and D. M. Liu, 1995: Inferring optical depth of broken clouds from Landsat data. *J. Climate*, **8**, 2620-2630.
- Chylek, P., and J. S. Dobbie, 1995: Radiative properties of finite inhomogeneous cirrus clouds: Monte Carlo simulations. *J. Atmos. Sci.*, **52**, 3512-3522.
- Descloitres, J., F. Parol, J. C. Buriez, 1995: On the validity of the plane-parallel approximation for cloud reflectances as measured from POLDER during ASTEX. *Ann. Geophys. Atmos. Hydros. & Space Sci.*, **13**, 108-110.
- Flesia, C., and P. Schwendimann (Eds.), 1995: Special section on Multiple SCattering in Lidar Experiments (MUSCLE). *Applied Physics B - Lasers and Optics*, **60**, 315-362.
- Gollmer, S. M., Harshvardhan, R. F. Cahalan, and J. B. Snider, 1995: Windowed and wavelet analysis of marine stratocumulus cloud inhomogeneity. *J. Atmos. Sci.*, **52**, 3013-3030.
- Guan, H., and R. Davies, 1995: Longwave radiative cooling rates in axially-symmetrical clouds. *J. Geophys. Res.*, **100**, 3213-3220.
- Hayasaka, T., N. Kikuchi, and M. Tanaka, 1995: Absorption of solar radiation by stratocumulus clouds: Aircraft measurements and theoretical calculations. *J. Appl. Meteor.*, **34**, 1047-1055.
- Macke, A., D. L. Mitchell, and L. V. Bremen, 1999: Monte Carlo radiative transfer calculations for inhomogeneous mixed phase clouds. *Phys. & Chem. Earth B Hydrol. Oceans & Atmos.*, **24**, 237-241.
- Marshak, A., A. Davis, W. Wiscombe, and R. F. Cahalan, 1995: Radiative smoothing in fractal clouds. *J. Geophys. Res. (Atmos.)*, **100**, 26247-26261.
- Marshak, A., A. Davis, W. Wiscombe, and G. Titov, 1995: The verisimilitude of the Independent Pixel Approximation used in cloud remote sensing. *Remote Sens. Environ.*, **52**, 72-78.
- Newman, W. I., J. K. Lew, G. L. Siscoe, and R. G. Fovell, 1995: Systematic effects of randomness in radiative transfer. *J. Atmos. Sci.*, **52**, 427-435.
- Winker, D. M., and L. R. Poole, 1995: Monte-Carlo calculations of cloud returns for ground-based and space-based lidars. *Applied Physics B Lasers and optics*, **60**, 341-344.
- Zuev, V. E., and G. A. Titov, 1995: Radiative transfer in cloud fields with random geometry. *J. Atmos. Sci.*, **52**, 176-190.

1994

- Barker, H. W., 1994: Solar radiative transfer for wind-sheared cumulus cloud fields. *J. Atmos. Sci.*, **51**, 1141-1156.
- Cahalan, R. F., 1994: Bounded cascade clouds albedo and effective thickness. *Nonlinear Proc. Geophys.*, **1**, 156-167.
- Cahalan, R. F., W. Ridgway, W. J. Wiscombe, T. L. Bell, and J. B. Snider, 1994: The albedo of fractal stratocumulus clouds. *J. Atmos. Sci.*, **51**, 2434-2455.
- Cahalan, R. F., W. Ridgway, W. J. Wiscombe, Harshvardhan, and S. Gollmer, 1994: Independent pixel and Monte Carlo estimates of stratocumulus albedo. *J. Atmos. Sci.*, **51**, 3776-3790.

Davies, R., 1994: Spatial autocorrelation of radiation measured by the Earth Radiation Budget Experiment: Scene inhomogeneity and reciprocity violation. *J. Geophys. Res.*, **99**, 20879-20887.

Davis, A., A. Marshak, W.J. Wiscombe, and R.F. Cahalan, Multifractal characterizations of nonstationarity and intermittency in geophysical fields, observed, retrieved or simulated, *J. Geophys. Res.*, **99**, 8055-8072 (1994).

Haferman, J. L., W. F. Krajewski, and T. F. Smith, 1994: Three-dimensional aspects of radiative transfer in remote sensing of precipitation: Application to the 1986 COHMEX storm. *J. Appl. Meteor.*, **33**, 1609-1621.

Jonas, P. R., 1994: On the reflectance of cellular cloud layers. *Q. J. R. Meteor. Soc.*, **120**, 221-230.

Killen, R. M., and R. G. Ellingson, 1994: The effect of shape and spatial distribution of cumulus clouds on longwave irradiance. *J. Atmos. Sci.*, **51**, 2123-2136.

Li, J., J. W. Geldart, and P. Chylek, 1994: Solar radiative transfer in clouds with vertical internal inhomogeneity. *J. Atmos. Sci.*, **51**, 2542-2552.

Li, J., J. W. Geldart, and P. Chylek, 1994: Perturbation solution for 3-D radiative transfer in a horizontally periodic inhomogeneous cloud field. *J. Atmos. Sci.*, **51**, 2110-2122.

Marshak, A., A. Davis, R.F. Cahalan, and W.J. Wiscombe, 1994: Bounded cascade models as nonstationary multifractals, *Phys. Rev. E*, **49**, 55-69.

Pardo-Iguzquiza, E., and M. Chica-Olmo, 1994: SPECSIM: A program for simulating random fields by an improved spectral approach. *Computers and Geosci.*, **20** (4), 597-613.

Parol, F., J. C. Buriez, D. Cretel, and Y. Fouquart, 1994: The impact of cloud inhomogeneities on the Earth radiation budget: The 14 October 1989 ice convective cloud case study. *Ann. Geophys. Atmos. Hydros. & Space Sci.*, **12**, 240-253.

Roberti, L., J. Haferman, C. Kummerow, 1994: Microwave radiative transfer through horizontally inhomogeneous precipitating clouds. *J. Geophys. Res.*, **99**, 16707-16718.

Su, B., and G. C. Pomraning, 1994: A stochastic description of a broken cloud field. *J. Atmos. Sci.*, **51**, 1969-1977.

Su, B., and G. C. Pomraning, 1994: Limiting correlation length solutions in stochastic radiative transfer. *J. Quant. Spectr. & Rad. Transfer*, **51**, 893-891.

1993

Evans, K. F., 1993: A general solution for stochastic radiative transfer. *Geophys. Res. Lett.*, **20**, 2075-2078.

Evans, K. F., 1993: 2-Dimensional radiative transfer in cloudy atmospheres—The spherical harmonics spatial grid method. *J. Atmos. Sci.*, **50**, 3111-3124.

Gabriel, P., S.-C. Tsay, and G. L. Stephens, 1993: A Fourier-Ricatti approach to radiative transfer. Part I: Foundations. *J. Atmos. Sci.*, **50**, 3125-3147.

Gierens, K. M., 1993: A fast six-flux radiative transfer method for application in finite cloud models. *Contrib. Atmos. Phys.*, **66**, 73-87.

Haferman, J. L., W. F. Krajewski, T. F. Smith, and A. Sánchez, 1993: Radiative transfer for a three-dimensional raining cloud. *Applied Optics*, **32** (15), 2795-2802.

Jin, Shih, D. Levermore, 1993: Fully Discrete Numerical Transfer in Diffusive Regimes *Trans. Th. & Stat. Phys.*, **22**, 739-791.

Kobayashi, T., 1993: Effects due to cloud geometry on biases in the albedo derived from radiance measurements. *J. Climate*, **6**, 120-128.

Kravtsov, Yu. A., 1993: New effects in wave propagation and scattering in random media (a mini review). *Applied Optics*, **32** (15), 2681-2689.

Kuo, K.-S., R. M. Welch, and R. C. Weger, 1993: The three-dimensional structure of cumulus clouds over the ocean. 1. Structural analysis. *J. Geophys. Res.*, **98**, 20685-20711.

Malvagi, F., R. N. Byrne, G. C. Pomraning, and R. C. J. Somerville, 1993: Stochastic radiative transfer in a partially cloudy atmosphere. *J. Atmos. Sci.*, **50**, 2146-2158.

Pflug, K., S. Lovejoy, D. Schertzer, 1993: Differential Rotation and Cloud Texture: analysis and simulation using Generalized Scale Invariance. *J. Atmos. Sci.*, **50**, 538-553.

Smith, T. F., and J. R. Ehlert, 1993: Albedos for a cloud bar array over a reflecting surface. *J. Geophys. Res.*, **98**, 5059-5068.

Tessier, Y., S. Lovejoy, D. Schertzer, D. Lavallée, B. Kerman, 1993: Universal Multifractal indices of the ocean surface at far red wavelengths. *Geophys. Res. Lett.*, **20**, 1167-1170.

1992

Barker, H. W., 1992: Solar radiative transfer through clouds possessing isotropic variable extinction coefficient. *Q. J. R. Meteor. Soc.*, **118**, 1145-1162.

Barker, H. W., and J. A. Davies, 1992: Solar radiative fluxes for broken cloud fields above reflecting surfaces. *J. Atmos. Sci.*, **49**, 749-761.

Barker, H. W., and J. A. Davies, 1992: Solar radiative fluxes for stochastic, scale-invariant broken cloud fields. *J. Atmos. Sci.*, **49**, 1115-1126.

Barker, H. W., and J. A. Davies, 1992: Cumulus cloud radiative properties and the characteristics of satellite radiance wave-number spectra. *Remote Sens. Environ.*, **42**, 51-64.

Bréon, F.-M., 1992: Reflectance of broken cloud fields: Simulation and parameterization. *J. Atmos. Sci.*, **49**, 1221-1232.

Lovejoy, S., D. Schertzer, K. Pflug, 1992: Generalized Scale Invariance and differentially rotating cloud radiances, *Physica A*, **185**, 121-127.

O'Brien, D. M., 1992: Accelerated quasi-Monte Carlo integration of the radiative transfer equation. *J. Quant. Spectrosc. Radiat. Transfer*, **48** (1), 41-59.

Wielicki, B. A., and L. Parker, 1992: On the determination of cloud cover from satellite sensors—The effect of sensor spatial resolution. *J. Geophys. Res.*, **97**, 12799-12823.

1991

Jin, Shi, D. Levermore, 1991: The Discrete Ordinate Method in Diffusive Regimes *Trans. Th. & Stat. Physics*, **20**, 413-439.

Kobayashi, T., 1991: Reflected solar flux for horizontally inhomogeneous atmospheres. *J. Atmos. Sci.*, **48**, 2436-2447.

1990

Alberta, T. L., and S. K. Cox, 1990: Cloud field reflectance variations traceable to finite cloud effects. *J. Appl. Meteor.*, **29**, 165-178.

Davis, A., S. Lovejoy, P. Gabriel, D. Schertzer, G. L. Austin, 1990: Discrete Angle Radiative Transfer. Part III: Numerical results on homogeneous and fractal clouds. *J. Geophys. Res.*, **95**, 11729-11742.

Gabriel, P., S. Lovejoy, A. Davis, D. Schertzer, and G. L. Austin, 1990: Discrete Angle Radiative Transfer. Part II: Renormalization approach to scaling clouds. *J. Geophys. Res.*, **95**, 11717-11728.

Joseph, J. H., and R. F. Cahalan, 1990: Nearest neighbor spacing in fair weather cumulus. *J. Appl. Meteor.*, **29**, 793-805.

Lovejoy, S., P. Gabriel, A. Davis, D. Schertzer, and G. L. Austin, 1990: Discrete Angle Radiative Transfer. Part I: Scaling and similarity, universality and diffusion. *J. Geophys. Res.*, **95**, 11699-11715.

Lovejoy, S., D. Schertzer, 1990: Multifractals, universality classes, satellite and radar measurements of clouds and rain. *J. Geophys. Res.*, **95**, 2021-2034.

Titov, G. A., 1990: Statistical description of radiative transfer in clouds. *J. Atmos. Sci.*, **47**, 24-38.

1989

Cahalan, R. F., and J. H. Joseph, 1989: Fractal statistics of cloud fields. *Mon. Wea. Rev.*, **117**, 261-272.

Cahalan, R. F., and J. B. Snider, 1989: Marine stratocumulus structure. *Remote Sens. Environ.*, **28**, 95-107.

Coakley, J. A., and T. Kobayashi, 1989: Broken cloud biases in albedo and surface insolation derived from satellite imagery data. *J. Climate*, **2**, 721-730.

Minnis, P., 1989: Viewing zenith angle dependence of cloudiness determined from coincident GOES East and GOES West data. *J. Geophys. Res.*, **94**, 2303-2320.

Rawlins, F., 1989: Aircraft measurements of the solar absorption by broken cloud fields: A case study. *Q. J. R. Meteor. Soc.*, **115**, 365-382.

Welch, R. M., and B. A. Wielicki, 1989: Reflected fluxes for broken clouds over a Lambertian surface. *J. Atmos. Sci.*, **46**, 1384-1395.

1988

Boers, R., J. D. Spinhirne, and W. D. Hart, 1988: Lidar observations of the fine-scale variability of marine stratocumulus clouds. *J. Applied Meteor.*, **27**, 7, 797-810.

Gabriel, P., Lovejoy, S., D. Schertzer, G.L. Austin, 1988: Multifractal analysis of satellite resolution dependence. *Geophys. Res. Lett.*, **15**, 1373-1376.

Kobayashi, T., 1988: Parameterization of reflectivity for broken cloud fields. *J. Atmos. Sci.*, **45**, 3034-3045.

Schertzer, D., S. Lovejoy 1988: Multifractal simulations and analysis of clouds by multiplicative processes. *Atmos. Res.*, **21**, 337-361.

Stephens, G. L., 1988: Radiative transfer through arbitrarily shaped optical media. Part II: Group theory and simple closures. *J. Atmos. Sci.*, **45**, 1818-1836.

Stephens, G. L., 1988: Radiative transfer through arbitrarily shaped optical media. Part I: A general method of solution. *J. Atmos. Sci.*, **45**, 1818-1836.

Welch, R. M., K. S. Kuo, B. A. Wielicki, S. K. Sengupta, and L. Parker, 1988: Marine stratocumulus fields off Southern California observed using Landsat imagery. 1. Structural characteristics. *J. Appl. Meteor.*, **27**, 341-362.

1987

Kite, A., 1987: The albedo of broken cloud fields. *Q. J. R. Meteor. Soc.*, **113**, 517-531.

Schertzer, D., S. Lovejoy, 1987: Physically based rain and cloud modeling by anisotropic, multiplicative turbulent cascades. *J. Geophys. Res.*, **92**, 9692-9714.

1986

Coakley, J. A., and R. Davies, 1986: The effect of cloud sides on reflected solar radiation as deduced from satellite observations. *J. Atmos. Sci.*, **43**, 1025-1034.

Garand, L., and J. A. Weinman, 1986: A structural-stochastic model for the analysis and synthesis of cloud images. *J. Climate Appl. Meteor.*, **25** (7), 1052-1068.

Lovejoy S., D. Schertzer, 1986: Scale invariance, symmetries, fractals and stochastic simulations of atmospheric phenomena, *Bull. Amer. Meteor. Soc.*, **67**, 21-32.

O'Brien, D. M., 1986: Estimates of infrared radiative transfer in finite clouds. *J. Atmos. Sci.*, **43**, 378-387.

Parker, L., R. M. Welch, and D. J. Musil, 1986: Analysis of spatial inhomogeneities in cumulus clouds using high spatial resolution Landsat data. *J. Climate Appl. Meteor.*, **25**, 1301-1314.

1985

Stuhlmann, R., P. Minnis, and G. L. Smith, 1985: Cloud bidirectional reflectance functions: A comparison of experimental and theoretical results. *Applied Optics*, **24** (3), 396-401.

1984

Davies, R., 1984: Reflected solar radiances from broken cloud scenes and the interpretation of scanner measurements. *J. Geophys. Res.*, **89**, 1259-1266.

Davies, R., W. L. Ridgway, and K.-E. Kim, 1984: Spectral absorption of solar radiation in cloudy atmospheres: A 20 cm⁻¹ model. *J. Atmos. Sci.*, **41**, 2126-2137.

Duvel, J. P., and R. S. Kandel, 1984: Anisotropy of longwave radiation emergent from a broken cloud field and its effect on satellite estimates of flux. *J. Climate Appl. Meteor.*, **23**, 1411-1420.

Harshvardhan, R. W. L. Thomas, 1984: Solar reflection from interacting and shadowing cloud elements. *J. Geophys. Res.*, **89**, 7179-7185.

Hentschel, H. G. E., and I. Procaccia, 1984: Radiative diffusion in turbulent media: The fractal dimension of clouds. *Phys. Review A*, **29** (3), 1461-1470.

Naber, P. S., and J. A. Weinman, 1984: The angular distribution of infrared radiances emerging from broken fields of cumulus clouds. *J. Geophys. Res.*, **89**, 1249-1257.

Schmetz, J., 1984: On the parameterization of the radiative properties of broken clouds. *Tellus*, **36A**, 417-432.

Welch, R. M., and B. A. Wielicki, 1984: Stratocumulus cloud field reflected fluxes: The effect of cloud shape. *J. Atmos. Sci.*, **41**, 3085-3103.

1983

Davis J. M., S. K. Cox, and T. B. McKee, 1983: Design and Verification of a Cloud Field Optical Simulator. *J. Applied Meteor.*, **22**, 947-958.

Ebel, D. M. and T. B. McKee, 1983: Diurnal Radiance Patterns of Finite and Semi-Infinite Clouds in Observations of Cloud Fields. *J. Applied Meteor.*, **22**, 1056-1064.

McKee, T. B., M. DeMaria, J. A. Kuenning, and S. K. Cox, 1983: Comparison of Monte Carlo calculations with observations of light scattering in finite clouds. *J. Atmos. Sci.*, **40**, 1016-1023.

1982

Harshvardhan, and J. A. Weinman, 1982: Infrared radiative transfer through a regular array of cuboidal clouds. *J. Atmos. Sci.*, **39**, 431-439.

1981

Ackerman, S. A., and S. K. Cox, 1981: Aircraft observations of the shortwave fractional absorptance of non-homogeneous clouds. *J. Appl. Meteor.*, **20**, 1510-1515.

Newiger, M., and K. Baehnke, 1981: Influence of cloud composition and cloud geometry on the absorption of solar radiation. *Contrib. Atmos. Phys.*, **54**, 370-382.

Welch, R. M., and W. G. Zdunowski, 1981: The effect of cloud shape on radiative characteristics. *Beitr. Phys. Atmos.*, **54** (4), 482-491.

Welch, R. M., and W. G. Zdunowski, 1981: The radiative characteristics of noninteracting cumulus cloud fields, Part I: Parameterization for finite clouds. *Contrib. Atmos. Phys.*, **54** (4), 258-272.

1979

Davis, J. M., S. K. Cox, and T. B. McKee, 1979: Total shortwave radiative characteristics of absorbing finite clouds. *J. Atmos. Sci.*, **36**, 508-518.

1978

Davies, R., 1978: The effect of finite geometry on the three-dimensional transfer of solar irradiance in clouds. *J. Atmos. Sci.*, **35**, 1712-1725.

McKee, T. B., and J. T. Klehr, 1978: Effects of cloud shape on scattered solar radiation. *Monthly Weather Review*, **106**, 399-404.

Reynolds, D. W., T. B. McKee, and K. S. Danielson, 1978: Effects of cloud size and cloud particles on satellite-observed reflected brightness. *J. Atmos. Sci.*, **35**, 160-164.

1977

Busygin, V. P., Yevstratov, N. A., and YE. M. Feygelson, 1977: Calculation of the direct, scattered, and total solar radiant fluxes and their distributions in cumulus clouds. *Izv. Atmos. Oceanic Phys.*, **13** (3), 184-190.

Wendling, P., 1977: Albedo and reflected radiance of horizontally inhomogeneous clouds. *J. Atmos. Sci.*, **34**, 642-650.

1974

McKee, T. B., and S. K. Cox, 1974: Scattering of visible radiation by finite clouds. *J. Atmos. Sci.*, **31**, 1885-1892.

1973

Busygin, V. P., Yevstratov, N. A., and YE. M. Feygelson, 1973: Optical properties of cumulus clouds, and radiative fluxes for cumulus cloud cover. *Izv. Atmos. Oceanic Phys.*, **9** (11), 1142-1151.

1971

Kattawar, G. W. and G. N. Plass, 1971: Radiance and polarization of light reflected from optically thick clouds. *Applied Optics*, **10**, 74-80.

1968

Kattawar, G. W. and G. N. Plass, 1968: Radiance and polarization of multiple scattered light from haze and clouds. *Applied Optics*, **7**, 1519-1527.